FOR RENT

- AG Equipment
- When you need it
- Getting the advantage

At times you need a piece of equipment for a short period of time. Having access to a rental is all you need and OESCO has it! These key pieces of equipment will help you get the job done.

- Call us for more information

Transcar

A great vehicle for fitting into tight quarters when you need accessibility of a tri-lateral dump. Ideal for barns, trails and farms. Rentals by the day or week.

VENTRAC

WITH ATTACHMENTS! Many to choose from. Give us a call, we're sure we can help!

VENTRAC MOUNT SYSTEM

A perfect solution to unexpected inclement weather conflicting with landscaping installations. Also used at events/worksites where you need to keep the lawns intact. 44" x 8' x 1/2"

LANCO

Save time getting mulch around your crops with a row mulcher rental. Spreads about 3' of mulch between 1/2" and 8" deep; holds 5.33 cubic yards heaped. Good for berry and vegetable crops, vineyards and orchards. PTO driven.

TURFTEQ

For clearing under brush & saplings, clearing trails and keeping small fields cut.

In a tight spot with a heavy load? The Bertolini Transporter may be just the unit to get you out of a jam.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

What makes ARS pruners different?

1. Sharper - More aggressive bevel angle (64°) on the precision ground blades (most pruners are 50°)

2. Superior Cutting Leverage - Offset blade angle to maintain natural hand strength

3. Expert Hardening - No one hardens blades better than ARS. Edges are not only sharper, but keep their edge longer.

4. Expert Blade Treatment - Blades are hard chrome plated to keep rust, dirt and sap buildup away.

5. True Single Handed Operation - Squeeze the handles to open. Easy to close.

6. Ergonomic Design - Simple solid die cast aluminum construction is shaped to fit the hand perfectly. Lighter weight, better balanced and longer lasting.

V SERIES

The ARS Signature Heavy-Duty Pruner

- Recommended for all types of pruning
- All metal construction
- Lightweight and perfectly balanced
- Replaceable, hard chrome plated blade
- Cast aluminum handle with non-slip grip
- Locking latch releases by squeezing the handle
- Spare parts available

Light & compact

NEW

For smaller hands

ARS HP-VS7Z - Length 7" • 7.3 oz.

NEW

Standard size

ARS HP-VS8Z - Length 8" • 8.1 oz.

For larger hands NEW

ARS HP-VS9Z - Length 9" • 9.3 oz.

VSR Series with rotating Handle

The popular V-Series is available with a rotating handle. A rotating handle, minimizing fatigue and strain, has been added to the VS8 and VS9 blade set and spring along with the squeeze-to-open action.

ARS HP-VS8R - Length 8" • 8 oz.

ARS HP-VS9R - Length 9" • 9.3 oz.

NEW

LIGHTWEIGHT BYPASS PRUNER

- Recommended for smaller hands
- Hard chrome plated blade or black finish blade
- Non-slip lightweight grips

130DX

Light pruner fits smaller hand, bypass chrome blade. Colors are random when ordering by the box.

ARS HP-130DX - 7.3" long • 5.3 oz.

MULTI-PURPOSE SHEARS

- Gardening, pruning, flower arranging, crafts
- Perfect for hoof trimming
- Straight, chrome plated blade
- Both blades sharpened
- Non-slip lightweight grips

140DX

Colors are random when ordering by the box.

ARS HP-140DX - 7.5" long • 5.3 oz.

S SERIES

Traditional Japanese Pruner

- Recommended for very heavy-duty pruning
- Drop-forged, precision ground blade for longer life and better leverage
- All metal construction
- Hard chrome plated blade

For smaller hands

ARS HP-120S7 - 7" long • 7.3 oz.

ARS HP-120S8 - 8.2" long • 8.4 oz.

EURO STYLE PRUNER

- Comfortable, Euro style ergonomic handle
- Hard chrome finished, high carbon steel blade
- A GREAT PRICE!

NEW

ARS HP-120EU - 8.4" long • 7.9 oz.

140LDX

Same as 140DX with longer blade. White handle only.

ARS HP-140LDX - 8" long • 5.6 oz.

Blade Cleaner

Easily removes sap and dirt with just a spray and a wipe.

ARS GO1 - 3.8 fluid oz.

NEW

Ergonomic Pruners for More Comfortable Pruning

Improve your comfort, security, health and efficiency

This **modular, ergonomic** pruner is the result of five years of scientific research and field testing. This design provides two major advantages - **LESS FATIGUE** at the end of the day and a **LONGER & MORE PRODUCTIVE** working life.

A favorite of professionals pruning fruit & landscapers

The LATERAL and VERTICAL INCLINATION of the tool body allow your wrist to stay in a neutral position, reducing strain and maximizing wrist and forearm power.

- **Improved Comfort**
- **Improved Health**
- **Improved Efficiency**

See catalog price list or visit our website at www.oescoinc.com for price and sizing information.

Available for Right- or Left-Handed Users.

Assembled Units Stocked

PX Type
PXR Type

Fixed handle ergonomic pruner.

PX Type (Fixed handles)

BAH PX-S2 - Right hand, small handle, 3/4" cut • 9 oz.
BAH PX-M2 - Right hand, medium handle, 3/4" cut • 9 oz.
BAH PX-M2-L- Left hand, medium handle, 3/4" cut • 9 oz.
BAH PX-M3 - Right hand, medium handle, 1 1/4" cut • 9 oz.
BAH PX-L2 - Right hand, large handle, 3/4" cut • 9 oz.
BAH PX-L3 - Right hand, large handle, 1 1/4" cut • 9 oz.

Rotating handle ergonomic pruner.

PXR Type (Rotating handles)

BAH PXR-S1 - Right hand, small handle, 5/8" cut • 10 oz.
BAH PXR-S2 - Right hand, small handle, 3/4" cut • 10 oz.
BAH PXR-M2 - Right hand, medium handle, 3/4" cut • 10 oz.
BAH PXR-M2-L - Left hand, medium handle, 3/4" cut • 10 oz.
BAH PXR-M3 - Right hand, medium handle, 1 1/4" cut • 10 oz.

P121 Tool

Metal handle design in three sizes. Traditional bypass blade.

BAH P121-18-F – 1/2" capacity, 7" long for small hands • 8 oz.
BAH P121-20-F – 3/4" capacity, 8" long • 9 oz.
BAH P121-23-F – 1" capacity, 9" long • 12 oz.

P138 Anvil Pruner

Anvil pruner for tough dead wood. Steel handles, double bevel on blades, aluminum anvil.

BAH P138-22-F – 3/4" capacity, 8 1/2" long • 10 oz.

P126 General Purpose

General purpose, bypass pruner, steel handles, no replacement parts.

BAH P126-22-F – 3/4" capacity, 8 1/2" long • 10.9 oz.

P110 General Purpose

Stamped steel handles, bypass blade, front wire clasp. Heavier duty than P126.

BAH P110-20-F – 3/4" capacity, 8" long • 11 oz.
BAH P110-23-F – 1" capacity, 9" long • 14 oz

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

New Italian Pruners

Cutting edge pruning technology from Castellari of Italy

Innovative anvil style and dual blade pruners used widely in commercial orchards and vineyards in Europe.

- **Forged aluminum handles and counter blade**
- **Extremely lightweight and durable - tools are 7.2 - 8.1 oz.**
- **Unique curved counter blade design minimizes shock to hand and wrist when cutting**
- **Dual blade pruner design is especially valuable in stone fruit crops - minimal injury at the cutting point**
- **Lots of great features at an affordable price**

See the new Castellari anvil loppers on page 17!

Anvil Pruners

Classic curved anvil pruner with forged aluminum handles and counter blade. 8" OAL
CAS UNIVERSALE • 7.2 oz.

Classic curved anvil pruner with forged aluminum handles and counter blade. Ergonomic handle further reduces the impact to hand and wrist when cutting. 8" OAL
CAS ERGONOMIC • 7.6 oz.

Dual Blade Pruners

Dual blade pruner allows the two cutting blades to meet precisely, allowing for a very close, clean cut that does not crush the bark. Very popular for stone fruit. 8" OAL
CAS LADY-II • 8.1 oz.

STA-FOR MANIAGO - ITALY

STA 950.20.12 • 12 oz.

Manufactured by Sta-For of Maniago, Italy this dual blade pruner has all the features of the Castellari Lady II but has a heavy duty forged carbon steel construction and a single taper blade.

From their neighbors in Switzerland...

PICA / NAEGELI

Special designed cutting system saves effort. Bypass blade is hooked, cutting blade is straight. Comfortable handles and spring action.

Blade & hook replaceable. Good for fruit. 7" long
PCA 005P2P • 7.2 oz.

Replaceable blade. Blade & hook are narrower than 2L. Light duty fruit, gardening tool, ergonomically pleasing.
PCA 005P3 • 6.4 oz.

SHARP TOOLS MAKE YOUR JOB EASIER If you need help deciding what's best for you, call us!

Professional Ergonomic Series

For smaller hands

3/4" capacity, 7" length. Forged aluminum body, TPR coated non-slip handle, 2 position lock (1/2 and full) mechanism.
BAR B307 • 7.6 oz.

Same as above with rotating handles.
BAR B317 • 9.3 oz.

For medium to large hands

1" capacity, 8" length. Forged aluminum body, TPR coated non-slip handle, 2 position lock (1/2 and full) mechanism.
BAR B308 • 8.2 oz.

Same as above with rotating handles.
BAR B318 • 9.8 oz.

Utility Shears

All with TPR/metal handle
2 position lock, 1/2 and full open

7" Lightweight chrome secateur. Cuts 1/2" green wood.
BAR B7 - small • 5.8 oz.

8" Lightweight chrome secateur. Cuts 3/4" green wood.
BAR B8 - large • 6.8 oz.

7" Lightweight chrome twin secateur (both blades sharpened).
BAR B1400 • 5.6 oz.

8" Lightweight chrome twin secateur (both blades sharpened).
BAR B1400L • 6.6 oz.

NEW

Already a BEST SELLER!

BAR B175 - 8 1/4" OAL 11.1 oz.

Bypass pruner. Cuts up to 3/4", Heavy duty steel handle, double bumper, replaceable blade. Colors are random.

BYPASS

Very Popular

8", 3/4" capacity. Nice sharp, diecast aluminum utility pruner. Replaceable blade and spring. Good alternative lower cost tool!
BAR B200 • 9 oz.

Very Popular

8", 1" capacity. Drop forged aluminum heavy duty, anodized finish. Designed to compete with European brand pruners. Cuts up to 1" capacity wood. Replaceable blade & spring.
BAR B300 • 10 oz.

8", 3/4" capacity. Forged bypass pruner. Center oiler bolt.
BAR B399 • 10.4 oz.

CORONA

BP 3130 Designed for smaller hands
1/2" capacity, resharpenable bypass blade.
COR BP-3130 • 8 oz.

BP 3160 Good general purpose pruner
3/4" capacity, resharpenable bypass blade.
COR BP-3160 • 10 oz.



BP 3180
1" capacity, replaceable, resharpenable blade.
COR BP-3180 • 15 oz.

RATCHET

8", cuts up to 3/4", curved ratchet blade aluminum pruner.
BAR B888 • 3.7 oz.

8", cuts up to 3/4", straight blade ratchet pruner with rotary handle.
BAR B575 • 4 oz.

ANVIL

CORONA

Designed for dry and woody growth
3/4" capacity, replaceable blade, brass anvil.
COR AP-3110 • 10 oz.

SNAP-CUT®
QUALITY SINCE 1850

SNAP-CUT 18T
Pocket-size pruner with anvil action blades. Easy-cutting Teflon-S coated blades. 6 1/2"
SNC 18T • 8 oz.

SNAP-CUT 19T
Anvil action pruner with easy-cutting Teflon-S coated blades. 8"
SNC 19T • 16 oz.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

FELCO SWISS MADE

"State-Of-The-Art" Manual Pruning Shears

- Recommended for all types of pruning
- Precise blade adjustment
- Cushion shock absorber
- Sap groove
- Forged aluminum alloy handles
- Wire cutting notch
- High resistance
- Performance head
- Spare parts available

Felco 2

OUR BEST SELLER!

Classic professional model, riveted anvil blade. Length - 8.5"
FEL F-2 • 8.5 oz.

Felco 11

Classic new generation model, screwed anvil blade. Length - 8.3"
FEL F-11 • 8.6 oz.

Felco 100

F11 pruner with cut and hold blade, screw mounted. Length - 8.25"
FEL F-100 • 8.5 oz.

Felco 6

Designed for small hands, light and compact, tapered cutting head. Length - 7.7"
FEL F-6 • 7.4 oz.

Felco 8

Ergonomic shape, angled cutting head. Length - 8.3"
FEL F-8 • 8.6 oz.

Felco 9

For **LEFT HANDERS**. Angled cutting head. Length - 8.3"
FEL F-9 • 8.6 oz.

Manual Pruning Shears for One or Two Hands

- Recommended for pruning thick branches
- Extra long left handle

Felco 13

Angled cutting head. Length- 10.6"
FEL F-13 • 10.9 oz.

"State-Of-The-Art" Pruning Shears with Revolving Handle

- Recommended for heavy and prolonged pruning
- Revolving handle spreads force over 5 fingers, preventing tendonitis and inflammation
- Handles with a shock absorber and cushion to protect the wrist.
- Precise adjustment of blade and anvil blade.
- Sap groove
- Forged aluminum alloy handles
- Spare parts available

Felco 7

High performance tool, angled cutting head. Length - 8.3"
FEL F-7 • 10.2 oz.

Felco 10

High performance tool, angled cutting head. For **LEFT HANDERS**. Length - 8.3"
FEL F-10 • 10.2 oz.

Felco 12

High performance tool, for smaller hands, tapered cutting head. Length - 7.9"
FEL F-12 • 9.3 oz.

Parts for Felco Pruners

Cutting Blade

FEL 2-3 • Fits Felco 2, 4, 11
FEL 5-3 • Fits Felco 5
FEL 6-3 • Fits Felco 6, 12
FEL 7-3 • Fits Felco 7, 8
FEL 9-3 • Fits Felco 9, 10
FEL 13-3 • Fits Felco 13
FEL 30-3 • Fits Felco 30 (cutting blade)
FEL 30-4 • Fits Felco 30 (anvil blade)

Spring Pack

FEL 2-91 • Fits Felco 2,4,7,8,9,10,11
FEL 6-91 • Fits Felco 6,12
FEL 5-91 • Fits Felco 5,13
FEL 30-91 • Fits Felco 30

Bolt & Nut Set

FEL 2-90 • Fits Felco 2
FEL 4-90 • Fits Felco 4
FEL 5-94 • Fits Felco 5
FEL 6-90 • Fits Felco 6,11,12
FEL 7-90 • Fits Felco 7, 8, 9,10,13
FEL 30-90 • Fits Felco 30

Repair Kit

FEL 2-92 • Fits Felco 2,6,7,8,11,12,13
FEL 30-92 Fits Felco 30

Shock Absorber Set

FEL 2-93 • Fits Felco 2,6, 7, 8, 9, 10, 11, 12, 13

Additionally ... ALL Felco parts are available for all pruners.

Basic Manual Pruning Shears

- Recommended for occasional pruning or gardening
- Blade and anvil aligned with bolt and nut
- High performance cutting head

Felco 4

Standard tool, riveted anvil blade, forged aluminum alloy handles. Length - 8.3"
FEL F-4 • 7.8 oz.

NEW

Felco 31

New adjustable anvil, beveled blade, forged aluminum alloy handles.
FEL F-31 • 7.9 oz.

Felco 5

Basic model, steel handles. Length - 8.9"
FEL F-5 • 10.9 oz.

Felco CP

For workshops, florists, mechanics, DIY hobbists and domestic use. Ideal for professionals in repair and shipping. Cut metal, net, wire, rubber, leather, plastic. Hardened steel blades. Length - 8.1"
FEL C-P • 10.2 oz.

Felco C7

For cutting wire and cable, spring wire up to .1" and cable up to 3/16". Length - 7.25"
FEL C-7 • 9.5 oz.

Felco C9

Triangular cut allows the wire rope to be cut and not crushed. Cuts wire rope up to 5/16". Length - 13"
FEL C-9 • 26.9 oz

Many other cable cutters available, 2 hand models for up to .5" diameter rod & cable. Other specialty cutters & hoof clippers available by special order.

Sharp Lightweight Snips

LIGHT DUTY

FELCO SWISS MADE

Lightweight Harvesting Shears for Flowers, Fruits & Herbs

Designed by Felco. Made in Italy.

F300

Lightweight yet strong flower and herb gathering shear. 7 1/2" long.
FEL F-300 • 4.2 oz.

F310

Grape and general fruit harvesting shear, lightweight for easier handling. 7 5/16" long.
FEL F-310 • 3.9 oz.

STAINLESS STEEL

A3001S

2" stainless steel blades (easy to sterilize). Pointed needlenose. deep sap groove. 7 1/2" long.
BAR A3001S • 3.8 oz.

A3002SC

2" stainless steel curved needlenose blades, deep sap groove. 7 1/2" long.
BAR A3002SC • 3.8 oz.

V3001S

2" stainless steel blades. Pointed needlenose. 7 1/2" long.
BAR V3001S • 3.9 oz.

Our Best Lightweight Sellers ...

ARS

ARS 300L

Light duty. High carbon, pointed, strong needlenose 2" straight blade. 7 1/2" long.
ARS HP-300L • 3.5 oz.
Stainless steel blade
ARS HP-300LDX • 3.5 oz.

ARS 310

Light duty. High carbon, curved, rounded nose. 1 1/4" blade, 6 1/2" long.
ARS HP-310 • 3.2 oz.

Our Best Medium Duty Seller ...

BAHCO

P123

Medium duty. Harvest Snips. Fiberglass handle, 7 1/2" long, bypass blade. Opens 1.5". Supplied with poly holster.
BAH P123-19 • 3.2 oz.

NEW

V3000

2" carbon steel blade. Pointed needlenose. 7 1/2" long.
BAR V3000 • 3.9 oz.

A3000

2" straight high carbon blade. TPR non-slip handle, one handed lock, deep sap groove. 7 1/2" long.
BAR A3000 • 3.2 oz.



B120

Anvil fruit harvester for high value fruit crop where stem puncture is a concern. Two sizes available.
BAR B120 - 4 1/2", small anvil • 3.2 oz.
BAR B120L - 5 1/4", large anvil • 4 oz.

B3600S

6" forged mini pruner with replaceable blade. Drop forged.
BAR B3600S • 5.6 oz.

CORONA

FS 4310

House plant shear designed for very small hands. Forged 1 1/4" needlenose blades. 5" long.
COR FS4310 • 6 oz.

BAHCO

P128

Lightweight snips for harvest. Fiberglass handle. Opens to 1.3". 7 1/2" long, 1/4" capacity.
BAH P128-19 • 4 oz.
BAH P129-19 - 11° angled blade (not pictured) • 4 oz.

MEDIUM DUTY

B3500

Medium duty, narrow 2" carbon steel blade, steel handle. 7 1/2" long.
BAR B3500 • 5.6 oz.

ARS

ARS SE45

Palm action garden/flower shear with plastic handles. 1 3/4" straight blade. 7" long. Replaceable blade.
ARS HP-SE45 • 3.2 oz.

ARS SE65

Same as SE45 with longer blade. 2 1/2" blade, 8" overall. For grass, leaves, cultivating onions.
ARS HP-SE65 • 3.2 oz.

HEAVY DUTY

CORONA

FS 4350

Thinning shears with forged straight 2" needlenose blades. 8" long.
COR FS4350 • 8 oz.

AG 5030

Original grape shear. Curved, forged 2" blades for harvest and thinning fruit. 8" long.
COR AG5030 • 8 oz.

Palm Fit Ergonomic Fruit/Floral/Garden Shears from BARNEL

- Ergonomic palm contour fit
- Comfortable, adjustable finger ring
- Lightweight, 3.3 oz.
- Stainless steel blades
- 1/4" capacity

Straight needlenose, 6" OAL
BAR BP3001S

Curved, blunt nose, 5" OAL
BAR BP3100SC

Bypass Shear, 6" OAL
BAR BP3600S

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

HARVEST SCISSORS

Thin, stainless steel blades with soft cushioned grips. Right or left hand use. 6 1/2" long for grapes and horticulture. Choose straight or tilted head.

Straight head
BAR B3200 • 2 oz. ***or*** **ARS SS-320DXT**

Tilted head
BAR B3200T • 2 oz. ***or*** **ARS SS-320DXM**

FLORAL/UTILITY SCISSORS

Stainless steel utility scissors. Stronger than the harvest scissors. Straight blade with serrated edge. Soft PVC handles. For flowers, bonsai, crafts. Includes snap-on sheath

Assorted random colors
BAR B3300 - 6" long • 2 oz.

ARS SS-3000 - 6" long • 2 oz.

Precision of a shear with the comfort of scissors. Hardened stainless. Comfort grips feature a toothed stem crusher to prepare cut flowers for arrangements. 6" long.
ARS SSK-1294 • 3.2 oz.

UTILITY/CRAFT SCISSORS

Stainless steel blades. Soft grips.

8" long (pictured on right)
BAR B3400 • 2.7 oz.
or
7.5" long (pictured on left)
ARS SS-340HT• 3 oz.

BARNEL KNIVES

STATIONARY GRAFTING KNIFE

High carbon 1 3/4" blade, 4" hardwood handle with brass rivets.
BAR B6850 - 6 3/4" long • 1.6 oz.

STATIONARY BUDDING KNIFE

High carbon 2 1/4" blade, 4" hardwood handle with brass rivets.
BAR B6830 - 6 1/4" long • 1.6 oz.

FOLDING GRAFTING KNIFE

High carbon 2 1/4" blade and a select hardwood handle with brass rivets and liner. SUPERIOR QUALITY knife. "Solingen" design.
BAR B6050 - 6 1/4" long open • 2.4 oz.

FOLDING BUDDING KNIFE/BARK LIFTER

Superior quality 1 3/4" blade, hardwood handle with brass rivets. "Solingen" design.
BAR B6410 - 6 1/4" long open • 2.4 oz.

HORTICULTURAL/CRAFT SCISSORS

8" stainless steel scissors for flowers and other applications. Soft grips, extra fine tip. 2" blade. Heavy duty application.
BAR B20SS • 3.2 oz.

FOLDING SCISSORS

To open- pull handles apart, fold handles down. To close - Fold blades back into handle slots, push together.

Stainless steel blades. Chrome plated handles. Folds, safety closed.
ORC SNS1 - 4" long • 4oz.

LEAF SHEAR

4.5" long, carbonated blades, chrome plated aluminum grips. 11" OAL
ARS SSK-N207 • 11.2 oz.

FLORAL BLADE CUTTER

13" sword blade. Bench mounted. 22 1/4" long
BAR B798S • 7 lbs.

THORN/LEAF STRIPPER

4" thorn/leaf stripper. Comfortable handle.
BAR B5000 • 3.2 oz.

VICTORINOX FLOWER TOOLS

FOLDING KNIVES - 2 1/4" blade, 3 1/4" red handle.

FEL 39-050 - straight blade • 2 oz.



FEL 39-060 - curved blade tip • 2 oz.

ARS FLOWER KNIVES

ARS KN-FN6TRP - Straight folding blade

ARS KN-FN6MRP - Curved folding blade

BAHCO FOLDING GRAFTING KNIFE

Carbon steel blade & brass spatula folds into plastic handle.
BAH P11 - 7 1/4" long • 2.4 oz.

GENERAL PURPOSE KNIVES



General purpose.
Straight blade. Thin, Sheffield Stainless Steel blade and shackle.
7" long, 2 3/4" blade.
BAH KAP-1 • 3.2 oz.

General purpose knife. Curved, folding blade, stainless steel blade and shackle.
6 3/4" long, 2 1/2" blade.
BAH KGP-1 • 3.2 oz.

Professional pruning knife. Curved, high carbon steel blade. Folds into plastic handle.
7 3/4" long, 3" blade.
BAH P20 • 4 oz.

BARNEL USA

Ergonomic Handle Design for Comfort

3" stainless steel blade. 7.5" OAL
Landscape/harvest knife.
BAR BLK751 • 1.7 oz.

1.75" stainless steel blade. 7" OAL
Harvest knife.
BAR BLK752 • 1.5 oz.

3" serrated stainless steel blade. 7.5" OAL
All purpose knife.
BAR BLK758 • 1.7 oz.

1.75" serrated stainless steel blade. 7" OAL
Landscape/harvest knife.
BAR BLK750 • 1.5 oz.

4.5" stainless steel serrated blade sickle. 9.5" OAL
BAR BLK725 • 2.2 oz.
BAR BLK725P • poly handle

6.25" stainless steel serrated blade sickle. 13.5" OAL
BAR BLK727 • 3.1 oz.
BAR BLK727P • poly handle

6.25" carbon steel serrated blade sickle. 13.5" OAL
BAR BLK730 • 3.1 oz.

4" carbon steel blade grass weeder. 12" OAL
BAR BLK733 • 4.3 oz.

6.25" carbon steel tiger tooth blade grass sickle.
14.75" OAL
BAR BLK735 • 5.3 oz.

ORDER ON LINE at www.oescoinc.com

BARTEAUX INC.

Garden Knife

8" tempered high carbon spring steel blade. Orange poly handle for visibility.
BMI MM-8-O • 4 oz.

Zenport INDUSTRIES

Very Popular

All knives have plastic handles and stainless steel blades.

NEW

KC05 Fruit Sampling Knife

4.75" folding blade designed for sampling of citrus, apples, melons, avocados and other fruit to check for ripeness.
Comes with case.
10.5 OAL
ZEN KC05



Produce Knife, 6" blade.
ZEN K116 • 3 oz.

Lettuce Knife, 7.25" blade.
ZEN K115 • 4 oz.

Hop or Cabbage Knife, 6.75" blade.
ZEN K113 • 4 oz.

Garden Knife, 7.75" blade.
ZEN K118 • 4 oz.

Field Harvest Knife, 7.75" blade.
ZEN K114 • 4 oz.

Seed Potato Knife, 3.5" blade.
ZEN K123 • 4 oz.

NEW

Food Processing Knife, 2" blade.
ZEN K124 • 4 oz.

NEW

Mushroom Knife, 2.75" blade.
ZEN K125 • 4 oz.

NEW

Food Processing Knife, 3.5" blade.
ZEN K127 • 4 oz.

NEW

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

Hori - Hori

Multipurpose knife. Dig, weed, transplant, divide perennials. Beveled for shoveling and a serrated side for sawing. Stainless steel blade, hardened in RC47-50. Fully polished. 6 3/4" long blade. Pointed tip, engraved depth measurements from 25-150mm. 5 1/8" wood handle. Includes sheath.
ARS KNK DA1S • .5 lb.

Same as above but with carbon steel blade.
ARS KNK DA1 • .5 lb.

ZenBori Soil Knife - Similar to the Japanese Hori-Hori knife but with an ABS plastic handle. Stainless steel blade.
ZEN K245 • .5 lb.

NEW

This pouch is designed for carrying the K245 ZenBori Soil Knife. Durable nylon with belt loop.
ZEN HJ245

Digging Tool
The ultimate digging tool. Cuts through roots. Digs in any type of ground cover. Cuts turf, sod easily, trowel handle, 7" blade x 1 3/4"W, 12" OAL with 4" hand guard and 4" of teeth right side. Supplied with a sheath with 3"W X 3.5" deep belt loop.
WWM 48 • 9oz.

Wilcox Digging Tools are made of 12 & 16 gauge stainless steel blades with rubber handles. Depth gauges are etched into the blades.

MADE IN USA



Smooth Grip | Dimpled Grip | Finger Grip

	9" All Pro. 16 ga. 1 1/2" W X 9" L **WIL 50S** • 4 oz.	 Smooth Grip
	10" pointed. 16 ga. 2 1/2" W X 10" L **WIL 100S** • 8 oz.	 Finger Grip
	11" pro. trowel 3" wide blade 16 ga. 3" W X 11" L **WIL 251S** • 12 oz.	 Finger Grip
	11" pro. sod cutting tool 3" wide blade 16 ga. 3" W X 11" L **WIL 251SC** • 12 oz.	 Finger Grip
	13" long weeder Sharp "V" end 3/4" tubing, 1"W x 13"L **WIL 350** • 12 oz.	 Finger Grip
	10" narrow. 12 ga. 1 1/4" W X 10" L **WIL 103S** • 8 oz.	 Dimpled Grip
	12" All Pro handle. 16 ga. 1 1/2" W X 12" L **WIL 51S** • 5 oz.	 Smooth Grip
	12" H.D. trowel. 16 ga. 2" W X 12" L **WIL 102S** • 8 oz.	 Finger Grip
	12" H.D. trowel. 12 ga. 2" W X 12" L **WIL 101S** • 12 oz.	 Finger Grip
	18" long handle. 16 ga. 2" W X 18" L **WIL 250S** • 12 oz.	 Finger Grip
	14" long trowel. 16 ga. 3" W X 14" L **WIL 202S** • 12 oz.	 Finger Grip
	22" Long handle. 16 ga. 3" W X 22" L **WIL 300S** • 1 lb. 3 oz.	 Finger Grip

Prune, Shear, Harvest ... Everything for the Christmas Tree Grower

Shearing Knives

Pictured with formed handles

The #1 Shearing Knife In The Industry ... High Carbon Stainless Steel Blades

STRAIGHT EDGE BLADES

SFP 40716 - 16" Straight Edge, 6" Beech Wood Handle
SFP 40916-LHF - 16" Straight Edge, 12" Formed Rosewood Handle
SFP 40916-LHS - 16" Straight Edge, 12" Straight Rosewood Handle

SERRATED EDGE BLADES

SFP 40716-SC - 16" Serrated Edge, 6" Beech Wood Handle
SFP 40916-SCLHF - 16" Serrated Edge, 12" Formed Rosewood Handle
SFP 40916-SCLHS - 16" Serrated Edge, 12" Straight Rosewood Handle
SFP 40916-SCXLHF - 16" Serrated Edge, 18" Formed Rosewood Handle
SFP 40916-SCXLHS - 16" Serrated Edge, 18" Straight Rosewood Handle

Lamson®

Knives have high carbon stainless steel blades and hardwood handles. Christmas tree and nursery shearing and shaping.

Straight blade — Serrated blade

LAM 38322 - 16" straight blade, 5" handle • 8 oz.
LAM 38352 - 16" straight blade, 10" handle • 9 oz.
LAM 38329 - 16" serrated blade, 5" handle • 8 oz.
LAM 38355 - 16" serrated blade, 10" handle • 9 oz.
LAM 38555 - 16" serrated blade, 14" handle • 10 oz.

Brush King®

16" straight stainless blade with 18" hardwood handle. Made in Germany.
BRU 83RB16/18 • 10 oz.

NEW

SFP 40782 - 12" Oval diamond sharpening steel. Recommended for Sharp Shop serrated knives and any straight shearing knives.

EZE P - 10" Diamond sharpening steel. Recommended for Lamson serrated shearing knives and any straight shearing knives.

NEW

HEAVY DUTY SHEARING CHAPS

When shearing trees, The Sharp Shop Shearing Chap offers superior protection against injuries caused from shearing knives. Both models have an adjustable belt loop and 3 adjustable straps with nylon buckles for targeted protection.

3 layer - 2 layers of heavy duty duck material with inner layer of nylon mesh. White (pictured).
SFP 40899

5 layer - 600 denier nylon. Black.
SFP 40900

Shearing Knife Sheath
Leather stitched and riveted. Fits blades up to 1 1/2" x 18"
WEA 08-97204

NEW CASTELLARI s.r.l.

Classic curved anvil pruner with forged aluminum handles and counter blade. 8" OAL
CAS UNIVERSALE • 7.2 oz.

9" hard chrome blade, light-medium duty. Replaceable blades. Forged aluminum handles. 27 1/2" OAL
BAR B1000L • 2 lbs.

9" wavy blade, forged handles. 28" OAL
BAR B1010L • 2.2 lbs.

FELCO **NEW**

New adjustable anvil, beveled blade, forged aluminum alloy handles
FEL F-31 • 7.9 oz.

ARS

Wreath Makers Favorite
ARS HP-300L • 3.5 oz.

BAHCO

BAH 331-21-51-KP - 21" Bow Saw • 1.5 lbs.

BAH 10-21-51 - 21" Bow Saw • 1.5 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

NEW COLD STEEL MACHETES & SHEATHS

Blades are 1055 carbon steel with tough spring temper and surfaced with a black, baked-on rust proof finish. The handles are polypropylene handles for a comfortable, secure grip. The sheaths are made of tough cordura nylon with taped and riveted seams.

Kukri Machete with sheath

13" blade, 18" OAL
CLD 97KMS • 16 oz.

Bolo Machete order sheath separately

16 3/8" blade, 22" OAL
CLD 97BM • 17.3 oz.

Sheath only
CLD SC97BM

Latin Machete
order sheath separately

CLD 97AM18 - 18" blade, 23 5/8" OAL • 14.9 oz.
CLD 97AM21 - 21" blade, 26 5/8" OAL • 17.7 oz.

Sheath only
CLD SC97AM18
CLD SC97AM21

NEW COLD STEEL Trail Boss

Light and compact enough to carry all day in your hand or strapped to your pack, yet heavy and tough. Featuring a European style head with a 4" blade and a 4 1/2" cutting edge. The handle is straight-grained hickory. 23" OAL
CLD 90TA • 2.6 lbs.

NEW COLD STEEL Trail Hawk

Modeled after an early frontier pattern, The Trail Hawk is an excellent chopping tool with a functional hammer poll with hardened face. Lightweight and compact. 19" OAL
CLD 90TH • 1.2 lbs.

NEW Camping/Outdoor Axe w/Belt Pouch

Forged heavy-duty camping axe with hammer head, ABS handles and reinforced nylon belt pouch. 10 1/2" OAL
BAR B1080 • 6.5 lbs.

CORONA

Machete
18" tempered carbon steel blade.
Anti-slip handle.
COR MA-60041 • 14 oz.

SEYMOUR

Cane Knife
Hardwood handle. 13" blade
SEY 2P-CN13 • 1.2 lbs.

Corn Knives
Hardwood handle.
SEY 2C-33 - 1.38" x 18" blade (top) • 14 oz.
SEY 2C-66 - 2.75" x 15" blade (center) • 17 oz.
SEY 2C-99 - 3" x 18" blade (bottom) • 20 oz.

Lamson®

Nursery Knife

High carbon stainless steel 1 5/8" x 8" or 12" stiff blade with 5" polypropylene handle.
LAM 31420 - 8" • 8 oz.
LAM 31460 - 12" • 9 oz.

SEYMOUR

Machete

Cutlery steel machete with black poly handle, brass rivets.
SEY 2PMA22 - 22" blade • 1 lb.
SEY 2PMA24 - 24" blade • 1.25 lbs.

Canvas Sheath for Seymour machete

SEY 2PMA22S - 22" blade • .15 lbs.
SEY 2PMA24S - 24" blade • .15 lbs.

HARTEAUX INC.

High carbon spring tool blades, injection molded high impact handles. Made in USA.

Economy Model

Poly handle, .070 thick steel blade.
BMI E-18 - 18" • 1 lb.
BMI E-22 - 22" • 1.25 lbs.
BMI E-24 - 24" • 1.35 lbs.

Heavy Duty Model

Orange safety handle, .095 thick steel blade.
BMI M-12-O - 12" blade • 1.25 lbs.
BMI M-18-O - 18" blade • 1.5 lbs.
BMI M-22-O - 22" blade • 1.65 lbs.
BMI M-24-O - 24" blade • 1.75 lbs.

Canvas Sheath for BMI machete

BMI CS16 - 16" • 3.2 oz.
BMI CS18 - 18" • 3.2 oz.
BMI CS22 - 22" • 3.2 oz.
BMI CS24 - 24" • 3.2 oz.

CORONA

Michigan Axe

34" Solid core fiberglass handle.
Tempered steel head.
COR AX-70020 • 6.5 lbs.

BAHCO

General Purpose Axe

26" axe, for general applications - camping, gardening & occasional trimming & splitting. High quality tool, steel curved head, ash handle.
BAH HUS-1.0-650 • 3 lbs.

Clearing Axe

27" multi-purpose clearing axe, replaceable hickory handle.
BAH 3022 • 2.2 lbs.
BAH 3029 • Replaceable handle • 13 oz.
BAH 3028 • Replaceable blade • 3.2 oz..

Earthway Precision Garden Seeder

Aluminum frame, poly wheels. Includes 6 seed plates (corn, radishes, carrots, beans, peas, and beets), precision depth/gauge, row markers for even spacing.Options: Seed plate set, seed plate storage case, fertilizer applicator.
EAR 1001B • 11 lbs.

Earthway Kentucky High Wheel Cultivator

Wood frame, 24" steel wheel. Includes 3 standard tools: 5-tine cultivator, moldboard plow, twin end furrow plow. Optional slicing hoe.
EAR 60132 • 19 lbs.

EarthWay

Order Online

ARS

GT NEJIRI KAMA
The perfect weeding tool!
High carbon steel blade, wooden handle. 12" OAL
ARS KNK-MT211 • 8 oz.

Maine Garden Hod

Use for produce, tools, etc.
Large: 19 1/4" L x 11" W x 7 1/4" H, handle is 11" high with 9" clearance, 16 qt. capacity.
MGP W/024-063/HP • 3.5 lbs.

Li'l Hod: 16" L x 9" W x 5 1/4" H, handle is 9 1/2" high with 8" clearance, 8 qt. capacity.
MGP WLH/006-024/HP • 2 lbs

Cobrahead Weeder/Cultivator

Weeds, cultivates, scalps, edges, digs, furrows, plants, dethatches, and harvests with ease. Made in the USA of knife-blade quality self-sharpening steel. Environmentally friendly wood fiber reinforced recycled plastic handle. VERY POPULAR.
COB Cobrahead • .5 lb.

Landscaping with Fruit

NEW

Lee Reich shows you exactly how to grow temperate-zone fruit at home, from site analysis and climate assessment through plant selection, pest control, pruning, and harvesting. Strawberry groundcovers, blueberry hedges, grape arbors, and 39 other luscious fruits to make your yard an edible paradise. *By Lee Reich*
BOK 62091



B6000 Trowel

12" Ergonomic transplanter. Aluminum, cushioned grip.
BAR B6000 • 8 oz.

B6300 Transplanter

12" Ergonomic transplanter. Aluminum, cushioned grip.
BAR B6300 • 8.3 oz.

B6002 Cultivator

11.5" Ergonomic trowel. Aluminum, cushioned grip.
BAR B6002 • 9.2 oz.

P244 Cultivator

13 1/2" long, black epoxy coated tines with wood handle.
BAH P244 • 7 oz.

P243 Trowel

13" long, black epoxy coated blade, wood handle.
BAH P243 • 12 oz.

P247 Hoe-Two Point

13" long. Good for cultivating flower beds. Black epoxy coated steel w/wood handle.
BAH P247 • 8.3 oz.

P241 Bulb Planter

9" long, black epoxy coated steel blade, wood handle.
BAH P241 • 10.5 oz.

BP-S Bulb Planter

9" Adjustable bulb planter. Measurement indicator.
BAR BP-S • 11.6 oz.

Leather Tool Belt/Bag

20" x 9" Double riveted. Includes pouch for pruners, loop for loppers and pocket for accessories. Adjustable quick release belt.
BAR BTC-2 • 14.5 oz.

NEW

Garden Rocker

Reduces knee and back strain. Rocking motion makes sitting or kneeling more comfortable. More than a garden seat - auto, hobby or work seat. Recommended weight capacity: 350 lbs.
VER GB1200C

Rocker Cushion

Padded cushion with tool pockets.
VER GB1210C

VER GB1200C

Sumio Wire Broom

Special design, plastic handle. 6 teeth, 4 adjustable widths. Light and handy in the garden.
ORC KC-637 • 2.5 oz.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

SEYMOUR

Weed Cutter

Weed cutter with serrated edges and formed steel brackets.
Head: 14" x 2.5".
30" hardwood handle.
SEY WE20 • 3 lbs.

Grass Hooks

American pattern 5" wood handle, steel ferrules.
12" curved blade.
SEY 2G-25 • 3/4 lb.

Same pattern 44" long hardwood handle with steel ferrule. 12" curved blade.
SEY 2G25LH • 2 lbs.

Snaths

White ash handle designed for grass, weeds, light brush.
SEY SN-1 • 4 lbs.

Aluminum handle designed for grass, weeds, light brush.
SEY SN-9 • 4 lbs.

Require blades below

Blades made in Austria

Grass Scythe Blades

30" blade for grass
SEY 2B42G30 • 2.2 lbs.
28" blade for grass
SEY 2B42G28 • 2 lbs.

Brush Scythe Blade

20" long wide blade for brush
SEY 2B42B20 • 2 lbs.

Weed Scythe Blade

24" long blade for heavy weeds
SEY 2B42W24 • 2 lbs.

We carry parts for all the tools we sell. Contact us by phone, fax or email for more information.

Order Online

Lawn Shears

BAHCO

44" long. Cuts under shrubs, borders around trees. 36" steel tube handles. 8" steel blades horizontally oriented.
BAH P74 • 4.5 lbs.

Edging Shears

39" long. For trimming borders or sod. 36" steel tube handles, 8" steel blades, vertically oriented.
BAH P75 • 4.5 lbs.

Grass Shears

BAHCO

6" stainless steel blades, 180° rotating blades.
BAH GS-180-E • 13 oz.

3 position, 90° handle rotation, grass shear. 13" long.
BAR B5050 • 13.1 oz.

Longer blade. 2 1/2" blade, 8" overall. For grass, leaves, onions, etc.
ARS HP-SE65 • 5.4 oz.

BARNEL USA

Spring Bucket
Collapsible nylon spring bucket with adjustable padded shoulder strap.
It's especially helpful when working around a garden or trimming bushes. 2 sizes available.

Collapsing vinyl buckets.
BAR B900 - 22"D x 26"H, 43 gallon capacity
BAR B902 - 11.75"D x 14.5"H, 7 gallon capacity

Helping Hands Sweep

Lightweight.
14" wide. Pair.
BAR B920

Professional Grass Shears

CORONA

5" forged steel alloy blade. 12" OAL
COR GS-6750 • 1 lb.

Harvest Shears

BARNEL USA

Teflon coated blades, cushioned grip, stainless handles complete with leather sheath. 12" long.
BAR B3333 - 5" blade, 11 3/4" OAL • 11.3 oz.
BAR B3344 - 6 1/2" blade, 13" OAL • 12 oz.

BAHCO

OUR BEST SELLING HEDGE SHEARS

Extremely strong, very light aluminum handles in two lengths. Double locking center bolt system. Fully hardened 10" blades, lower end has serrations for 1/2" cutting capacity in greenwood.

BAH P51-SL - 23" OAL • 2.35 lbs. • **BAH P51H-SL** - 30" OAL • 2.7 lbs.

WOOD HANDLES

Wood handles, 10" straight HC steel blade, 21" OAL, 3/8" capacity in greenwood.
BAH P57-25-F • 2.2 lbs.

Wood handles, 10" wavy edge HC steel blade, 21" OAL, 3/8" capacity in greenwood.
BAH P57-25W-F • 2.2 lbs.

P54 Super light hedge and grass shears. Light duty. Shearing action. Narrow blades.

Short handles, 10" blades
BAH P54-SL-25 - 22" OAL • 1.8 lbs.

Long handles, 8" blades
BAH P54H-SL-20 - 24" OAL • 1.8 lbs.

Long handles, 10" blades
BAH P54H-SL-25 - 26" OAL • 1.85 lbs.

ARS

Order online!
www.oescoinc.com

25.5" overall. Orange handle. Hard chrome, 8" replaceable blade
ARS HS-K1000L • 1.6 lbs.

30" overall. Hard chrome, 8" replaceable blade
ARS HS-K1100 • 1.65 lbs.

20" overall. Narrow, thin, 7" non-replaceable nickel-plated blade.
ARS HS-K800R • 1.4 lbs.

ULTIMATE HEDGE SHEARS

Lightweight and very sharp, high quality cutlery steel blades, drop forged and heat treated. Oak handles. 3 models available.

Finish hedge trimmer. 9" blade, 26" OAL
ARS HSK-N352 • 2 lbs.

Heavy blade, 1/2" capacity. 9" blade, 23" OAL
ARS HSK-372 • 2.15 lbs.

Heavy blade, 1/2" capacity. 9" blade, 28.5" OAL
ARS HSK-375 • 2.15 lbs.

TELESCOPING SHEARS

6" nickel plated thin blades mounted to telescoping aluminum tube handles. Adjusts with push button to 3 positions. 29-41.5" OAL.
ARS HS-K900Z • 2.1 lbs.

BARNEL USA

9" hard chrome blade, light-medium duty. Replaceable blades. Forged aluminum handles. 27 1/2" OAL
BAR B1000L • 2 lbs.

9" wavy blade, forged handles. 28" OAL
BAR B1010L • 2.2 lbs.

12.5" steel alloy blade. **HEAVY DUTY** with extruded aluminum handles. 30" OAL
BAR B1100L • 3.2 lbs.

True Friend/Freunde Hedge Shears

Manufactured in Germany. Hard Chromed and Hollow Ground Blades.

Wavy edge blades, ball bearings. Deluxe shear. 9" usable and 12" overall blade. 21" total length.
TRU 512 • 2.25 lbs.

Straight blades, pruning notch, adjustable blade locking thumb nut. 9" usable, 12" overall blade. 22.5" total length.
TRU 612 • 2.75 lbs.

Straight oversized blade, pruning notch, longest blade, adjustable blade thumb nut. 11" usable, 14" overall blade. 26" total length.
TRU 614 • 3 lbs.



Most favorite wavy-edge blades, adjustable blade thumb nut. 9" usable, 12" overall blade. 22" total length.
TRU 1954 • 2.88 lbs.



Wavy edge blade, adjustable blade thumb nut. 9" usable, 12" overall blade. 23" total length.
TRU 1962 • 3 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

Innovative anvil style loppers are the latest trend in European orchard pruning!

NEW

Castellari

Manufacturer of high quality horticultural tools for over 30 years

- Forged steel blade tempered to the highest level for optimum cutting performance & durability
- Forged aluminum alloy anvil designed to reduce cutting blade wear and provide strength
- Sturdy and lightweight tubular aluminum handles

The lightness of the lopper head is particularly apparent when making long reaching cuts. Features a unique straight blade and anvil design. Very clean cutting.

CAS M80 - 32" OAL, 1.7" capacity • 2.3 lbs.

An excellent entry level lopper for home horticulture use. The curved anvil and blade improves the cutting ability. This tool has an excellent power to weight ratio.

CAS TRONCARAMI-80 - 32" OAL, 1.5" capacity • 1.75 lbs.

Unique anvil cushioning system reduces cutting impact

Beveled blade on both sides for easier penetration into the wood

Lightweight design, strength and reduced cutting effort result in less arm and shoulder strain

NEW

FELCO

SWISS MADE

- Sturdy and lightweight tubular aluminum handles
- Innovative lever system that greatly reduces the required cutting effort
- Large opening of the cutting head easily allows the cutting of branches up to 1.6"
- Two models to choose from based on the shape of their cutting heads

Features a straight, tapered anvil that allows easy access to the location of the cut.
FEL F230 - 32" OAL, 1.6" capacity • 2.5 lbs.

Features a hollow shaped blade and a curved anvil that traps the branch close to the fulcrum of the cutting head, thus making cutting wood easier.
FEL F231 - 32" OAL, 1.6" capacity • 2.5 lbs.

BAHCO

Strong, lightweight aluminum handles. Heavy duty anvil lopper head. Anti-friction coating on the blade facilitates penetration through the wood. Lever action sliding system makes the cutting easier. 50% power gain.
BAH P172-SL-85 - 32" OAL, 1 1/2" capacity • 2.8 lbs.

NEW

NEW

FELCO SWISS MADE

Strong & Light Loppers!

Interchangeable aluminum tubes.

16" OAL
1 1/2" cutting capacity
1.4 lbs.
FEL F-200-A-40

20" OAL
1 1/2" cutting capacity
1.6 lbs.
FEL F-200-A-50
FEL F-210-A-50

24" OAL
1 1/2" cutting capacity
1.75 lbs.
FEL F-200A-60
FEL F-210A-60

Straight or curved cutting head available for all bypass loppers

210 Curved Head

200 Straight Head

A Heavy Duty Classic Favorite!

The Felco F-22 has solid, forged aluminum handles. Straight cutting head. 33" OAL, 2" cutting capacity.

FEL F-22 • 4.5 lbs.

CORONA

OAL = Over All Length - All parts available.
Blades are High Carbon Steel

Orchard Loppers

COR AL-8481 - 36" OAL, metal handle • 3.5 lbs.
COR AL-8461 - 32" OAL, metal handle • 3.3 lbs.
COR AL-8441 - 26" OAL, metal handle • 3 lbs.

Vine Lopper

COR AL-8320 - 19" OAL, metal handle • 1.8 lbs.

Pro Loppers - Aluminum Handles

COR AL-8260 - 32" OAL, 2" cap. • 3 lbs.
COR AL-8240 - 26" OAL, 2" cap. • 2.6 lbs.

Fruit Grower Lopper

High torque lopper. 2" capacity, 26" long. Re-sharpenable forged steel blade. Aluminum handle.
COR AL-6511 - 26" OAL • 2.33 lbs.

Heavy Duty Wood Handles

COR WL-6481 - 36" OAL, 2" cap. • 3.3 lbs.
COR WL-6461 - 32" OAL, 2" cap. • 3 lbs.
COR WL-6431 - 26" OAL, 2" cap. • 2.6 lbs.

Super Duty Wood Handles

COR WL-6490
37" OAL, 3" cap., wood handle • 6.5 lb.

Quality loppers with wood or aluminum handles and a strong alloy steel blade. 2 blade sizes: Vine - medium duty and Tree - heavy duty

Vine Loppers

Aluminum Handles
HIC 20M - 20" OAL • 1.94 lbs.
HIC 24M - 24" OAL • 2.12 lbs.

Hickory Handles
HIC 20V - 20" OAL • 1.46 lbs.
HIC 24V - 24" OAL • 1.72 lbs.

Tree Loppers

Aluminum Handles
HIC 32A - 32" OAL • 2.86 lbs.
HIC 36A - 36" OAL • 3.04 lbs.

Hickory Handles
HIC 32W - 32" OAL • 2.86 lbs.
HIC 36W - 36" OAL • 2.76 lbs.

Order Online

VACA Classic Fruit Tree Shear

Fruit grower specialty high quality loppers.
Made in U.S.A. for 90 years.
2" capacity green wood.

VAC 5921H - 27" OAL, hickory handles • 2.75 lbs.
VAC 5926H - 32" OAL, hickory handles • 3 lbs.
VAC 5921A - 27" OAL, aluminum handles • 2.5 lbs.
VAC 5926A - 32" OAL, aluminum handles • 2.75 lbs.

Porter Ferguson

Very Heavy Duty Brush Cutters

Both blades cut. Heat treated alloy steel. Heat treated spring steel handles with rubber handles. 0290F has power shift center.
PTF 0290F - 27"OAL, 1 1/2" cap. • 4.7 lbs.
PTF 0290P - 24"OAL, 1 1/4" cap. • 3 lbs.
Pointcut head, cut with tip of blade (not pictured)

Ratchet Lopper

25 3/4" - 37 3/4" adjustable telescoping extruded aluminum handles, high carbon steel blade, ratchet lopper.
BAR BR2000 - 2" capacity • 3.6 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

Made in the U.S.A., strong forged steel blade, deep hook, sap groove, poly bumper and oiler bolt. Available with aluminum or hickory handles in 2 capacities - Tree and Orchard.

LANDSCAPE TREE LOPPERS

Deep hook, heavy duty blades

Extruded Aluminum Handles - 2 1/4" cap.

Aluminum handles with grip

BAR B26A - 26" OAL • 2.67 lbs.
BAR B28A - 28" OAL • 2.7 lbs.
BAR B30A - 30" OAL • 2.8 lbs.
BAR B32A - 32" OAL • 2.9 lbs.
BAR B36A - 36" OAL • 3.1 lbs.

Wood Handles - 2 1/4" cap.

Oval hickory handles

BAR B26W - 26" OAL • 2.25 lbs.
BAR B28W - 28" OAL • 2.5 lbs.
BAR B30W - 30" OAL • 2.6 lbs.
BAR B32W - 32" OAL • 2.8 lbs.
BAR B36W - 36" OAL • 3.0 lbs.

ORCHARD LOPPERS

Medium hook, well balanced. Lighter weight

Extruded Aluminum Handles - 1 3/4" cap.

Aluminum handles with grip

BAR OR26A - 26" OAL • 2.3 lbs.
BAR OR28A - 28" OAL • 2.4 lbs.
BAR OR30A - 30" OAL • 2.5 lbs.
BAR OR32A - 32" OAL • 2.6 lbs.
BAR OR36A - 36" OAL • 2.8 lbs.

Wood Handles - 1 3/4" cap.

Oval hickory handles

BAR OR26W - 26" OAL • 2 lbs.
BAR OR28W - 28" OAL • 2.2 lbs.
BAR OR30W - 30" OAL • 2.3 lbs.
BAR OR32W - 32" OAL • 2.4 lbs.
BAR OR36W - 36" OAL • 2.5 lbs.

HORTICULTURAL LOPPERS

Small hook, light capacity

Extruded Aluminum Handles - 1 1/2" cap.

Aluminum handles with grip

BAR H20A - 20" OAL • 2 lbs.
BAR H24A - 24" OAL • 2.2 lbs.
BAR H26A - 26" OAL • 2.3 lbs.
BAR H30A - 30" OAL • 2.5 lbs.

MINI VINE LOPPER

Straight cutting head, ultra light. Extruded aluminum handles. 1 1/4" capacity.

BAR M16A - 16" OAL • 1.8 lbs.

NEW

LANDSCAPE/TREE LOPPERS

NEW

BAH P19-80F - 32" OAL • 4.44 lbs.

Heavy duty bypass lopper for cutting very thick large branches on mature trees. 2" capacity.

NEW

BAH P280-SL-80 - 32" OAL • 3 lbs.

Heavy duty lopper for thick greenwood. 1 1/2" capacity. Lever action slicing system makes cutting easier.

ORCHARD/TREE LOPPERS

NEW

Specially designed for orchards and recommended for landscaping.

BAH P160-SL-60 - 24" OAL • 2.4 lbs.
BAH P160-SL-75 - 30" OAL • 3.1 lbs.
BAH P160-SL-90 - 35" OAL • 3.7 lbs.

Slim, narrow blade combined with hooked counter blade results in powerful and smooth cutting action. Long handles for easy reach and overhead cutting. 1 3/4" capacity.

VINE LOPPERS

NEW

P116 SERIES

BAH P116-SL-40 - 16" OAL • 1.6 lbs.
BAH P116-SL-50 - 20" OAL • 1.8 lbs.
BAH P116-SL-60 - 24" OAL • 1.9 lbs.
BAH P116-SL-70 - 27" OAL • 2 lbs.

Extremely strong, very light aluminum handles result in less fatigue. Two edged radii blade with evolving bevel for better durability and easier cuts on tough wood. 1 1/4" capacity.

NEW

P114 SERIES

BAH P114-SL-50 - 20" OAL • 1.5 lbs.

Narrow cutting head for easy access and precise, quick cuts. Extremely strong, very light aluminum handles result in less fatigue. 1 1/4" capacity.

NEW

BAH P114-SL-60 - 24" OAL • 1.8 lbs.

Order Online

BARNEL Ultra Reach® Pruners & Loppers

BAR B88T	Telescoping lopper, 1 1/2" capacity, bypass blade, 6'-8' long	77.6 oz.
BAR B188Z6-10	5'11'-9'11" telescoping handle, 5/8" capacity, bypass pruning head w/hold feature	39 oz.
BAR B188Z4-6	49"-79" telescoping handle, 5/8" capacity, bypass pruning head w/hold feature	30.7 oz.

Spring adjustable hold feature for B188 blade

Head for B88T lopper

CORONA

Long Reach Cut 'n Hold Pruner

Ideal for pruning deep bushes, small branches, vines and shrubs. Cuts up to 1/2" diameter. 46" OAL • 1.3 lbs.

COR LR-3460

ARS Powerful LongReach™ Pruner

Our Most Popular Long Reach Lopper!

- Lightweight aluminum arm is easy to handle
- Blades are sharp & durable
- Hard chrome plating on blades, resists rust and corrosion
- Convertible arm section allows you to turn the pruner blades in any direction without moving the hand grip
- Bigger, angled blade with thicker arm provides extra strength

ARS LA-180L12	48" OAL	23.8 oz.
ARS LA-180L18	72" OAL	28.6 oz.
ARS LA-180L21	84" OAL	31.5 oz.

Order Online

Largest Cutting Capacity ... 3/4"

LongReach™ Lopper

- Clean cuts prevent injury or disease of the tree limbs
- Easily dismantled for maintenance
- Lever mechanism makes it easier to cut thick tree limbs
- Easily rotate the head 180° to reach the branches you want to cut
- Rubber bumper reduces fatigue from many pruning jobs

60" OAL • 3.75 lbs.
ARS LP-18515

72" OAL • 4 lbs.
ARS LP-18518

Blade set for LA180 Series pruners
ARS SP-180L-1

Blade set for LongReach™ lopper
ARS SP-185-1

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com •Email: info@oescoinc.com

R Series

Fixed Length LongReach™ Pruners

Super light and easy to use! These fixed length pruners feature Marquench hardened chrome plated blades. The arm rotates to angle the blade where it needs to go, keeping the handle comfortably in place. Perfect for all day use! The LA-160R series with the rust-proof zinc rod is very popular for water gardening.
R Series Cut & Hold and Razor edge heads are interchangeable.



160 Razor Edge

160 Cut & Hold

Product	Head	OAL	CAP	Weight	Blades
LA-160R036	Cut & Hold	1'	1/4"	.66 lbs	Marquench
LA-160R06	Cut & Hold	2'	1/4"	.8 lbs	Marquench
LA-160R12	Cut & Hold	4'	1/4"	1.0 lbs	Marquench
LA-160R18	Cut & Hold	6'	1/4"	1.4 lbs	Marquench
LA-180R12	Razor Edge	4'	1/2"	1.1 lbs	Marquench
LA-180R18	Razor Edge	6'	1/2"	1.4 lbs	Marquench

Rose Pruner • LA-15006

This pruner features specialized cut and hold blades for dead-heading, picking roses, and cleaning rose beds. HC tool steel blade, hard chrome plated blade finish, PVC handles. 2' OAL.



ARS LA-15006 • 11 oz.

ZR Series

Telescoping & Fixed Length LongReach™ Pruners

Awarded the National Home Garden Club Seal-of-Approval

Swing Neck
New aluminum die-cast tilt neck allows the head to tilt +/- 30°. Dial nut securely locks desired angle into place.

Telescoping Models
Adjusts from either 4 to 7 feet in 3 stops or 6 to 10 feet in 5 stops.

Drop Forged Blades
Slim design drop forged blades have greater durability and cutting leverage. Hard chrome plating for sap and rust resistance.

Single Operation Lever
The single pin enables simple telescoping operation.

Ergonomically Designed Grip
Light and strong aluminum die-cast grip with non-slip plastic coating for comfort and ease of handling.

Product	Head	OAL	CAP	Weight	Stops	Blades
LA-160ZR203	Cut & Hold	4'-7'	1/4"	2.3 lbs	3	Drop Forged
LA-160ZR306	Cut & Hold	6'-10'	1/4"	2.9 lbs	5	Drop Forged
LA-180ZR203	Razor Edge	4'-7'	1/2"	2.3 lbs	3	Drop Forged
LA-180ZR306	Razor Edge	6'-10'	1/2"	2.9 lbs	5	Drop Forged
LA-190ZR315	Super Trimmer	6'-10'	1/4"	2.9 lbs	5	Marquench
LA-190ZR18	Super Trimmer	6'	1/4"	1.6 lbs	Fixed Length	Marquench

Available with 3 Interchangeable Head Options

180 Razor Edge

160 Cut & Hold

190 Super Trimmer

OESCO's Own
Orchard Wheeler Pruning Saw

Recommended by growers and landscapers as a strong push cut saw.

- Thousands sold
- Milled plywood handle
- 16" blade
- Spring steel frame to remove blade
- Easy to use with gloves

Made in Conway, MA

ORC 16 - Wheeler saw • .75 lb.
ORC 16S - Replacement blade for ORC 16

NEW

COR QS-7900

Cuts 20% faster on average than comparable professional saws!

Repair parts and spare blades available. Contact us if you can't find what you are looking for ... we're here to help!

COR RS-7370

COR RS-7395

COR RS-7120

COR RS-7130

COR 7100-1 - Replacement blades for COR RS-7120 and COR RS-7130

COR RS-7160

CORONA	**COR QS-7900**	Curved 13" QuickSaw tapered blade w/hook. Textured elastomer grip	.7 lb.
	COR RS-7370	Straight 12" Razor Tooth blade co-molded handle	.7 lb.
	COR RS-7395	Curved 14" Razor Tooth blade co-molded handle	1 lb.
	COR RS-7120	Curved 13" Razor Tooth blade pistol grip cushioned handle	.5 lb.
	COR RS-7130	Curved 13" Razor Tooth blade wood pistol grip handle	.75 lb.
	COR RS-7160	Curved 21" Razor Tooth blade raker tooth, gullets wood "D" handle	1.5 lbs.

FAN FI-1311

FAN FS4

FAN FS14

FAN FS20

FANNO Saw Works	**FAN FI-1311**	Curved 13" Tri edge blade laminated wood handle	.6 lb.
	FAN FS14	Curved 13" blade good in fruit and hardwood, 8" wood handle	.6 lb.
	FAN FS4	Same as FS14 but has 11" handle	.6 lb.
	FAN FS20	Curved 19" blade, 5 TPI, "D" wood handle	1.25 lbs.

FELCO SWISS MADE

FEL F611

Straight 12.5" blade, with sheath, 20" OAL, pistol grip handle • 12.5 oz.



BAH 5124JSH
BAH 5128JSH
BAH 5124JS
BAH 5128JS

BAH 331-21-51-KP

BAH 10-21-51
BAH 10-24-23

Blades for BAHCO 21" & 24" Bow Saws

Use **BAH 51-21** (Standard) for green & dry wood - 21"
BAH 51-24 (Standard) for green & dry wood - 24"

Use **BAH 23-21** (Raker) for green wood - 21"
BAH 23-24 (Raker) for green wood - 24"

FEL F621

Straight 9.5" blade, with sheath, 16.5" OAL, pistol grip handle • 11.5 oz.

BAHCO	**BAH 5124JSH**	Straight 9.5" blade, hardpoint, fastcut, straight teeth w/holster	9.1 oz.
	BAH 5128JSH	Straight 11" blade, hardpoint, fastcut, straight teeth w/holster	9.6 oz.
	BAH 5124JS	Same as 5124JSH without holster	7 oz.
	BAH 5128JS	Same as 5128JSH without holster	7.5 oz.
	BAH 331-21-51-KP	Straight 21" bow saw, taper frame with #51 blade, finger guard	1.5 lbs.
	BAH 10-21-51	Straight 21" bow saw, #51 blade, finger guard	1.5 lbs.
	BAH 10-24-23	Straight 24" bow saw, #23 blade, finger guard	1.6 lbs.

Blade Cleaner
Easily removes sap and dirt with just a spray and a wipe.
ARS GO1 - 3.8 fluid oz.

NEW

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

SIL 108-24 • PROSENTEI
SIL 109-24 - replacement blade



SIL 102-30 • GOMTARO
SIL 103-30 - replacement blade
SIL 104-30 • GOMTARO
SIL 105-30 - replacement blade

SIL 275-39 • IBUKI
SIL 276-39 - replacement blade

SIL 270-33 • ZUBAT
SIL 271-33 - replacement blade

Silky

Supplied with sheaths

Order #	Name	Blade	Teeth/inch	Length	Comments	Weight
SIL 108-24	PROSENTEI	straight	8/14	8.6"	2 sized teeth	.2 lb.
SIL 102-30	GOMTARO	straight	8	11.8"	impulse hardened	.8 lb.
SIL 104-30	GOMTARO	straight	13	11.8"	impulse hardened	.8 lb.
SIL 270-33	ZUBAT	curved	7.5	13.0"	impulse hardened	1 lb.
SIL 390-36	SUGOI	curved	6.5	14.2"	sharpenable	1.6 lbs.
SIL 275-39	IBUKI	curved	6.5	15.4"	sharpenable	1.6 lbs.

SIL 390-36 • SUGOI
SIL 391-36 - replacement blade

BAR Z203

BAR Z301

BAR Z25

BAR Z17
BAR Z17-1- replacement blade

BAR Z14
BAR Z14-1- replacement blade

BAR Z13
BAR Z13-1- replacement blade

BARVEL USA

	Non-folding saws supplied with sheaths	
BAR Z203	9.5" 4.0mm tooth pitch, straight blade, co-molded handle	12 oz.
BAR Z301	11.75" 4.0mm tooth pitch, straight blade, co-molded handle	14 oz.
	Large non-folding saws • Sheaths available	
BAR Z13	12.5" 4.0mm tooth pitch, curved blade, co-molded handle	.5 lb.
BAR Z14	14" 4.0mm tooth pitch, curved raker blade, co-molded handle	.5 lb.
BAR Z17	14.25" 4.0mm tooth pitch, curved blade, co-molded D-handle	.8 lb.
BAR Z25	17.25" 6.0mm tooth pitch, straight raker blade	1 lb.

ARS Saws don't rip like a saw, they cut like a knife! ARS *made in Japan*

Pro Series
Pro Blade - highest quality Japanese steel

ARS SA-CT32PRO (pictured)
ARS SA-UV32PRO (not pictured)
Same as ARS SA-CT32PRO but with raker teeth

CAM Series

ARS SA-CAM24PRO

Signature Series

- Impulse hardened teeth
- Hard chrome plated blade
- Rubber coated grip
- Includes reversible scabbard
- Scabbard includes belt clip and patented roller technology

ARS SA-CT32E - 13" Curved blade, 19" OAL (with sheath) • .9 lb.
ARS SB-CT32E1 - Replacement blade

ARS SA-CT32E	13" Curved Blade. 19" OAL (with sheath)	.9 lb.
ARS SA-CT32PRO	13" Curved Blade. 19" OAL (with sheath)	.9 lb.
ARS SA-UV32PRO	13" Curved Blade with Raker Teeth.19" OAL (with sheath)	.9 lb.
ARS SA-CAM24PRO	10" Straight Blade. 17" OAL (with sheath)	.6 lb.

BAR Z130

BAR Z130C

BAR Z130-1 - replacement blade

BAR Z210

BAR Z210-1 - replacement blade

BAR Z180

BAR Z180-1 - replacement blade

BAR Z240

BAR Z240-1 - replacement blade

BAR Z270

BAR Z270-1 - replacement blade

All Barnel folding saws lock open & closed

BAR Z130	5.25" 3.0mm tooth pitch, straight blade, pocket saw	.4 lb.
BAR Z130C	Pocket saw and clear designer case, belt clip	.6 lb.
BAR Z210	6" 4.0mm tooth pitch, straight blade	.39 lb.
BAR Z180	7" 4.0mm tooth pitch, curved blade	.5 lb.
BAR Z240	9.5" 4.0mm tooth pitch, curved blade	.72 lb.
BAR Z270	10.5" 4.0mm tooth pitch, curved blade	.75 lb.

ARS SA-GR17	Curved 7" blade, folding & locking, co molded handle	.45 lb.
ARS SB-GR171	Replacement blade for SA-GR17	
ARS SA-G18L	Straight 7" blade, folding & locking, co molded handle	.45 lb.
ARS SB-P18L1	Replacement blade for SA-G18L	

ARS SA-GR17

ARS SA-G18L

FEL F600	Straight 6" blade, folding, locks open only, 14" OAL	4.8 oz.
FEL 600-3	Replacement blade for F600	

FEL F600

FEL 600-3

COR RS-7041	Straight 7" Razor tooth blade, folding and locking	.5 lb.
COR RS-7245	Curved 7" Razor tooth blade, folding and locking	.4 lb.
COR RS-7255	Curved 8" Razor tooth blade, folding and locking	.7 lb.

NEW

Nylon Scabbard

Universal design fits hand pruners and folding saws. Easy to carry using metal clip or belt loop. Front pocket for sharpening stone.

COR AC-4510

COR RS-7245

COR 7245-1 - Replacement blade

COR RS-7255

COR 7255-1 - Replacement blade

COR RS-7041

COR AC-7041 - Replacement blade

Precision ground, razor sharp teeth w/4 cutting angles

SK-4 high carbon steel, taper ground, impulse hardened

SIL 342-13	**POCKETBOY** w/carrying case	5" fine toothed blade, 16.9 teeth/inch	.5 lb.
SIL 340-13		5" medium toothed blade, 8.47 teeth/inch	.5 lb.
SIL 346-13		5" large toothed blade, 6.77 teeth/inch	.5 lb.
SIL 340-17		6.7" medium toothed blade, 8.47 teeth/inch	.5 lb.
SIL 346-17		6.7" large toothed blade, 6.77 teeth/inch	.5 lb.
SIL 143-18	**F-180**	7" large toothed blade, 6.77 teeth/inch	.66 lb.
SIL 119-21	**SUPER ACCEL**	8.3" large toothed blade, 6.77 teeth/inch	.66 lb.
SIL 290-24	**GOMBOY**	9.45" fine toothed blade, 11.85 teeth/inch	.66 lb.
SIL 121-24	w/carrying case	9.45" medium toothed blade, 10 teeth/inch	.66 lb.

POCKETBOY

SIL 342-13 *(pictured)*
SIL 340-13
SIL 346-13

Replacement blade
SIL 343-13
SIL 341-13
SIL 347-13

NEW

SIL 340-17
SIL 346-17 *(pictured)*

Replacement blade
SIL 341-17
SIL 347-17

All Pocketboy models include case

F-180

SIL 143-18
SIL 144-18 - Replacement blade

SUPER ACCEL

SIL 119-21
SIL 120-21 - Replacement blade

GOMBOY

SIL 290-24
SIL 291-24 - Replacement blade

SIL 121-24 *(not pictured)*
SIL 122-24 - Replacement blade

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

Silky

Pole Saws - Ultra sharp, professional, lightweight poles

Excellent choice for landscape and fruit pruning

Part#	Name	OAL	Extension Sections	Teeth/ Inch	Blade Length	WT.
SIL 371-42	**HAYATE 420**	8' - 16'	3	6.5	16.5"	6.8 lbs.
SIL 372-42	**HAYATE 420**	8' - 20'	3	6.5	16.5"	8.7 lbs.
SIL 178-39	**HAYAUCHI**	7'8"-16'	2	5.5	16"	4.9 lbs.
SIL 179-39	**HAYAUCHI**	7'8"-21'	3	5.5	16"	6.7 lbs.
SIL 365-36	**LONGBOY**	4.8' - 12'	2	6	14.2"	4.3 lbs.
SIL 272-12	**ZUBAT**	5.5' - 9'	1	7	13"	2.3 lbs.
SIL 272-15	**ZUBAT**	6.6' - 11'	1	7	13"	2.6 lbs.
SIL 272-18	**ZUBAT**	7.7' - 13'	1	7	13"	4.9 lbs.

SIL 371-42 • HAYATE 420
SIL 372-42 • HAYATE 420
SIL 373-42 - Spare Blade only
SIL 375-70 - Sickle only

SIL 178-39 • HAYAUCHI
SIL 179-39 • HAYAUCHI
SIL 177-02-03 - Spare Blade

SIL 272-12 • ZUBAT
SIL 272-15 • ZUBAT
SIL 272-18 • ZUBAT
SIL 271-33 - Spare Blade

SIL 365-36 • LONGBOY (Head folds to compact 4'8") - 14.2" blade, 6 teeth/inch
SIL 366-36 • Spare blade

NEW *Accessories for Silky Saws*

Sintung Lopper Head
Ratchet-operated lopper head offers precise, easy pruning. Designed for quick replacement of the saw head on a Silky Hayauchi pole saw.
SIL 16339R-P - 1 1/2" cut • 2.4 lbs.

Hook Fox
Hook accessory for hanging pole saw on branch or pulling branch down. Designed for HAYAUCHI, HAYATE and LONGBOY pole saws.
SIL 425-01

ARS

HEAVY DUTY ALUMINUM ADJUSTABLE POLE SAW

Heavy duty aluminum adjustable pole in three sections telescopes to any length with a strong lock collar. Blade attaches to pole with push button snap. **Order pole and saw for complete unit.**

Telescoping pole 4.6 ' to 10'
ARS SC-EXP33 • 3.4 lbs.

Telescoping pole 6.2' to 15.2'
ARS SC-EXP45 • 4 lbs.

Telescoping pole 7.25' to 18.6'
ARS SC-EXP55 • 5 lbs.

16" curved saw blade with hook, bark blade and grip
ARS SA-UV40 • 1 lb.

ARS SC-JG-4
Adapter - To attach pull string lopper heads to ARS EXP poles

ARS SA-UV-40
Head for pole

BARNEL USA

BAR Z555+S	17", 5.5mm tooth pitch, curved raker blade saw. Fits Z555P, P1, P2 with sheath • 1.7 lbs.
BAR B555	16.5" long, cuts 1 1/2", pruner head • 2.5 lbs.
BAR Z555P	6'2" - 15'1" pole only, adjustable • 4.2 lbs.
BAR Z555P1	4'11" - 11'7" pole only, adjustable • 3.3 lbs.
BAR Z555P2	7'6" - 19'2" pole only, adjustable • 5 lbs.
BAR Z555PR	9.5" aluminum pole adapter, required for B555 head to Z555 poles • 5 oz.
BAR Z655PR	9.5" aluminum pole adapter, required for Z head to male pole ferrule • 5 oz.
BAR ZHead	6" aluminum universal saw blade mount (head only) • 9 oz.

Order pole and head for complete unit



Adjustable Poles



Professional Choice

13' Arborist Tree Pruning System

Forged Coronium™ steel alloy Radial Arc™ blade with 1 3/4" diameter cutting capacity

Compound-action dual-pulley system triples your cutting power

Fully heat-treated, forged Coronium™ steel hook

16" Razor Tooth Saw™ blade and quick-connect ferrule (AC 7672)

Two 6' high-strength fiberglass pole sections can be combined or used separately with saw and pruning head

High strength, heat treated, anodized aluminum pole connectors

COR TP-6881- kit • 12 lbs.

Homeowner Lightweight Pro Choice



Corona TP6870

Professional 14' Compound Action Tree Pruner. TP6870 head with 13" razor tooth saw. Lightweight fiberglass pole telescopes from 7'-14' with twist lock adjustment.

COR TP-6870 • 6 lbs.

ADJUSTABLE POLE ONLY

Corona fiberglass pole adjusts from 7' - 14'

COR 6870-11 • 3.35 lbs.

Power Tool™ Extension Tree Pruner

Telescoping fiberglass handle 6'-12' STALOK™ locking system. 15" saw blade. 1" capacity head.

SEY TP612 • 6 lbs.

Fixed Units

Allen Pole Pruner

Northeast Growers Choice for Fruit & Ornamentals

Allen head

Allen handle

Strong, lightweight aluminum pole, riveted to a cast aluminum head complete with sharp steel cutting blade. Operating wire inside the pole is attached to a hardened steel operating lever with vinyl hand grip. Handle is riveted to the pole. Available in 6', 8', and 10' pole lengths.

Note: 6' and 8' delivered by UPS. 10' truck freight only.

ALL AL06
6' • 3 lbs.
ALL AL08
8' • 3.5 lbs.
ALL AL10
10' • 4 lbs.

Fruit Growers Favorite

Cutwell

Western Fruit Growers Choice

Cutwell head

Cutwell handle

Cutwell offers the most advanced easy-to-use pump-style aluminum pole available in today's market. The knife is hardened spring steel with an activator rod and spring inside the pole so it is protected from limbs and shrubs. The anodized aluminum pole is available in 6', 8', 10', 12', 14', 16'

CUT A-01-06
6' • 3.5 lbs.
CUT A-01-08
8' • 4 lbs.
CUT A-01-10
10' • 4.5 lbs.
CUT A-01-12
12' • 5 lbs.
CUT A-01-14
14' • 5.5 lbs.
CUT A-01-16
16' • 6 lbs.

Heavy Duty LongReach™ Pruners

ARS L Series

The blade and unit have been designed to provide the best possible cutting leverage and durability. 3/4" cutting capacity.

Recommended for the hardest long reaching jobs.

Available in 3 fixed lengths.

Drop forged blades provide better cutting leverage and stay sharp longer while hard chrome plating on the blades resists rust and corrosion.

Bigger leaning blade with thicker arm provides extra strength and durability.

All blades are drop forged with a cutting capacity of 3/4".

ARS LA-180L12
4' OAL • 1.5 lbs.

ARS LA-180L18
6' OAL • 1.8 lbs.

ARS LA-180L21
7' OAL • 2 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

JAMESON

Popular Jameson Tree Pruner Combinations

ALL FIBERGLASS POLES

JAM LS6F - 6' Base pole, green
JAM LS6 - 6' Extension pole, green
JAM PS3FP - Pole saw head w/adapter
JAM SB13TE - 13" Blade
JAM PH11 - Pruner head 1" capacity
JAM PHA11 - Adapter
JAM PR20 - Rope

JAM FG6 - 2 6' Extension poles, yellow
JAM PS3FP - Pole saw head w/adapter
JAM SB13TE - 13" Blade

JAM FG6 - 2 6' Extension poles, yellow
JAM JA14 - Pruner head 1 1/4" capacity
JAM PHA14 - Adapter
JAM PR20 - Rope

JAM TP12F -Telescoping pole, 6'-12'
JAM TP14F -Telescoping pole, 7'-14'
JAM JA14 - Pruner head 1 1/4" capacity
JAM PHA14 - Adapter
JAM PR20 - Rope

Curved Blades for Pole Saw Pruners

All fit SNC 20Head, JAM FG3SFP and JAM PS3FP

ARS SB-CT32F1	Chrome 13" turbocut
ARS SB-CT34F1	Chrome 13" turbocut with hook
ARS SB-UV32F1	Chrome 13" super turbocut
ARS SB-UV34S1	Chrome 13" super turbocut with hook
BAR Z13-1	Chrome 13" Tiger Tooth™
BAR Z14-1	Chrome 14" Tiger Tooth™
BAR Z17-1	Chrome 17" Tiger Tooth™
SNC 20B	Non-stick coated 13" razor cut
JAM SB13TE	Chrome 13" TriEdge™
JAM SB16TE	Chrome 16" TriEdge™
JAM SB13TEH	Chrome 13" TriEdge™ with hook
JAM SB16TEW	Chrome 16" TriEdge™ with hook



3 angles sharpened, impulse hardened



3 angles sharpened, impulse hardened with gullets

Precision ground at 3 angles and impluse hardened chrome plated



Precision sharpened for smooth cutting, non-stick coating

Sharpened at 3 angles and hard chrome plated with impulse hardened teeth for increased wear resistance

How to choose and order product

1. Choose heads (saw or pruner) see page 29
2. Choose adapter, if necessary, to attach head to pole see pages 28 and 29
3. Choose pole you require see page 28
4. Add rope, if necessary, to operate head see page 29
5. Choose saw blade to fit sawhead see page 27

Suggestion: Keep same manufacturer for head, adapter and pole to assure proper fit



JAMESON Fiberglass Poles

High quality professional tree care and line clearance tools for longer life and safer handling. Manufactured with a non-fiberglass surface veil to prevent fibers from blooming to the surface.
JE series poles are individually tested to 100 KV per foot for five minutes. All poles are interchangeable male ferrule to female ferrule with exterior leaf spring locking button.

JE Series Foam Core Poles The highest quality fiberglass pole
FG Series Hollow Poles Most popular pole
LS Series Landscape Poles A light duty option

Following poles stocked. Others available by special order

JE Series Yellow color
JAM JE6 1 1/4"x6' Extension pole (M-X-F) • 2.4 lbs.
JAM JE6F 1 1/4"x6' Base pole with rubber cap (F-X Cap) • 2.5 lbs.

FG Series Yellow color
JAM FG4 1 1/4"x4' Extension pole (M-X-F) • 1.4 lbs.
JAM FG4F 1 1/4"x4' Base pole with rubber cap (F-X cap) • 1.5 lbs.
JAM FG6 1 1/4"x6' Extension pole (M-X-F) • 2.1 lbs.
JAM FG6F 1 1/4"x6' Base pole with rubber cap (F-X cap) • 2.2 lbs.
JAM FG8 1 1/4"x8' Extension pole (M-X-F) • 2.8 lbs.
JAM FG8F 1 1/4"x8' Base pole with rubber cap (F-X cap) • 2.9 lbs.
JAM FG3SFP 1 1/4"x3' Saw head XM (for saw only) • 1.4 lbs.

LS Series Green color
JAM LS6 1 1/4"x6' Extension pole (M-X-F) • 2 lbs.
JAM LS6F 1 1/4"x6' Base pole with rubber cap (F-X cap) • 2 lbs.

Pruner head ferrule for round & square mount pruners
Heavy duty rubber base cap
Female Ferrule w/snap lock spring
Male Ferrule w/curled end for rigidity
Pole Saw Head

Double Lock™ Telescoping Poles

A lightweight telescoping pole that eliminates the need for multiple poles. These poles employ a unique two-stage locking mechanism that ensures that poles will not collapse.
JAM TP12F Telescoping fiberglass pole 6' - 12' with a female ferrule one end and cap other end. Adapt saw and/or pruner heads using PHA14 or PHA11 adapters (order separately).
JAM TP14F Same as above 7' – 14'

Heavy Duty Vinyl Pole Bag
Holds four 6' poles and pruner head. Carrying straps.
JAM B-6V

Big Shot

Shoots throw bags and line through tree limbs. Delivers line up to 200'. Often used with two Jameson 4' extension poles

JAM BS1

PEAVEY MANUFACTURING CO.

Wood Poles - All interchangeable
(Male ferrule fits female ferrule.
Female ferrule has leaf spring with locking button)

Peavey Head Pole - 1 1/4" x 6' long.
Tapered wood top x male ferrule
PEA TE-011-072-T946 • 2.25 lbs.

Peavey Extension Pole - 1 1/4" x 6' long.
Female ferrule top x male ferrule
PEA TE-011-072-0947 • 2 lbs.

Peavey Adapter Pole. 1 1/4" x 14" long.
Tapered wood top x male ferrule
PEA TE-011-014-0961 • .5 lb.

Octagonal ash poles (8-sided) X 1 1/4" diameter tapered one end. Available by special order. These are freight only items.
PEA QE011-144-0933 • 1 1/4" x 12' wood pole
PEA QE011-168-0934 • 1 1/4" x 14' wood pole

SNAP-CUT Fiberglass Poles

QUALITY SINCE 1959

SnapCut 106FG - Extension pole, foam filled.
1 1/4" x 6' long. female ferrule top x male ferrule
SNC 106FG • 2.25 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

JAMESON

JAM PH11 1" cap., center cut, pruner head requires PHA11 adapter • 1.6 lbs.

JAM PH12 1.5" cap., center cut, pruner head requires rope & PHA12 adapter • 3.8 lbs.

JAM JA14 1.25" cap., side cut, pruner head fixed pulley, requires rope & PHA14 adapter • 1.8 lbs

JAM JA14S Same as JA14 but has swivel pulley allowing side pull, requires rope & PHA14 adapter • 1.9 lbs.

JAM JA14DP Same as JA14 but has 2 pulleys for leverage making it easier to pull, requires rope only, adapter supplied • 1.9 lbs.

JAM JA34DP Big Mouth 1 3/4" pruner with double pulley (not pictured)

JAM PS3FP Pole saw head with adapter, center bolt and pull pin design • .6 lb.

JAM FG3SFP Pole saw head attached to 3' fiberglass pole section with male ferrule on pole (Special order for JE or LS styles) • 1.4 lbs.

JAM PR20 20' rope with wood handle

JAM CL-1 Cable Lifter - Designed to safely lift copper, fiber optic and coax cable.

JAM WR-1 Wire Raiser - Designed for placing cable on rollers, blocks and hardware or for moving tree branches

JAM PRI-7.5 Rope insulator 7", 60KV 5 min.

JAM PRI-12 Rope insulator 12", 100KV 5 min.

Adapters for pruner heads and saw heads

JAM PHA11 • .4 lb.

JAM PHA14 • .4 lb.

JAM PHA12 • .6 lb.

JAM PH12

JAM PH11

JAM JA14S (pictured)
JAM JA14 (not pictured)

JAM JA14DP

Leather Pruner Guard

JAM 32-18

NEW

JAM PRI-7.5 or JAM PRI-12

JAM PS3FP

JAM FG3SFP

JAM PR20

JAM CL-1

JAM WR-1

BARNEL USA

BAR B555 1.5" cap., compound lever action for easy cutting • 2.5 lbs.

BAR ZHead 6" aluminum universal saw blade mount • 9 oz.

BAR Z655PO Adapts Z555 saw to Jameson or SNC poles • 5 oz.

BAR Z555PR Adapts B555 head to Z555 poles • 5 oz.

BAR Z655PR Adapts B555 head to Jameson or SNC poles • 5 oz.

BAR B555

BAR ZHead


BAR Z655PR
BAR Z555PR
BAR Z655PO

SNAP-CUT
QUALITY SINCE 1850

SNC 20 Saw head with 20B blade, requires PEA or PHA11 adapter • 1 lb.

SNC 20Head Saw head only, requires PEA or PHA11 adapter • .5 lb.

SNC 2011 Head with teflon coated saw blade

SNC 2011B Teflon coated, straight cut blade for SNC 2011 head only

PEA TE-011-014-0961 Peavey adapter - ***see page 28***

SNC 20
SNC 20Head

SNC 2011

BAHCO

BAH P34-37
1.25" bypass side cut head with rope/handle. Requires PHA14 adapter • 2.18 lbs.

FRED MARVIN

MAR PH-4R
1.25" bypass side cut head, requires rope and PHA14 adapter 2.18 lbs.

CORONA

COR 6880-8
Heavy duty compound action head, 1.75" cap., 19" long, requires PHA14 adapter • 2.5 lbs.

CORONA

COR 6870-8
Chain driven, compound action pully system. Requires adapter PEA or PHA11 • 2 lbs.

PTF 0798RP PTF 0798QP

P-F PORTER-FERGUSON, INC.

PTF 0798RP
1" cap. long arm for leverage, with rope, requires PEA adapter • 1.5 lbs.

PTF 0798QP
1" cap. short arm for dense growth, with rope, requires PEA adapter • 1.5 lbs.

FELCO
SWISS MADE

Leather holster with waxed thread and rivets now has belt loops and metal pocket clip on back side. CAN BE USED FOR BELT OR POCKET!
FEL F910 • 5 oz.

This practical holster is designed to fit ALL Felco pruners. Protects clothing while providing easy access on the job. High tension metal clip for quick attachment.
FEL F912 • 8 oz.

Popular holster fits most pruning shears made. Extra riveting for long lasting use.
FEL F919 • 8 oz.

Multi-use tool holder with belt loop.
FEL F920 • .75 lb.

Designed for Felco 20 & 21 loppers, but can be used for just about any lopper made. Fits on belt. Leg strap use assures firm placement.



FEL F918 • .75 lb.

BARNEL USA

9" deluxe holster w/clip. Fits secateurs, pruners, Z210 and Z180 saws.
BAR BLS914 • 2 oz.

9" Cordura holster w/clip, economical, fits many hand pruners & folding saws
BAR BLS913 • 1.8 oz.

Pruning saw sheath, snap hook on the front, dee and belt loop. 16.5"L
BAR BLS934 • 8 oz.

ARS

Leather pouch with clip for 300 & 3000 series pruners
ARS ACC-LP300 • 3 oz.

Leather pouch with clip for scissors
ARS ACC-SSLP • 3 oz.

TOOL BAGS AND BELTS

Saw Belt and Bag

Red cordura material, hang ORC16 Wheeler saw from hook. 2 pockets for hand tools.
FRI ABB16 • .5 lb.

Bag without hook. Use for small pruners or horticultural tools. 2 pockets
FRI ABB17 • .5 lb.

FRIEND

BARNEL USA

NEW

Leather Tool Belt/Bag
20" x 9" Double riveted. Includes pouch for pruners, loop for loppers and pocket for accessories. Adjustable quick release belt.
BAR BTC-2 • 14.5 oz.

CORONA

NEW

Nylon Scabbard
Universal design
fits handpruners and folding saws. Easy to carry using metal clip or belt loop. Front pocket for sharpening stone.
COR AC-4510

WEAVER LEATHER

Shaped Pruner Pouches

All leather, lock stitched and riveted. With belt clip and/or belt slots as noted.

WEA 08-97200-8
8" with clips and slots

WEA 08-97220-8
8" with shaped knife clips and slots. Riveted knife pouch with snap-close flap.

WEA 08-97220-9
9" with shaped knife clips and slots. Riveted knife pouch with snap-close flap.

Pistol Type Pruner Pouches

Holds hand pruners or tools snugly in place without straps. Soft, brown oil tanned leather. Belt loop snaps over 2" belt.

WEA 08-97202-8
8" long with 5" deep pocket

WEA 08-97202-9
Same style as 0897202-8.
9" long with 6" deep pocket

WEA 08-97202-9P
9" long with 6" deep pocket and 3" deep knife pouch

Folding Saw Scabbard

All leather with belt slots and belt clip. 3 1/4" deep, 7" wide, and 12 1/4" long
WEA 08-02015

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

Match your saw to the right scabbard

This section: 2 1/4" top width X 1" bottom width X 14 1/2" front length X 19" back length
Fits all 13" – 14" curved saws, COR 7010, 7130, 7120, BAR Z13, 14,
Fanno FI-1311, FS 14, Silky Zubat and others

Leather-Part Number	Description	Rubberized Belting-Part#
WEA 08-02008	Straight back with belt loop and dee ring with snap	WEA 08-03008
WEA 08-02009	Curved back with belt loop and dee ring with snap	WEA 08-03009
WEA 08-02010	Straight back with dee ring and snap, no belt loop	WEA 08-03010
WEA 08-02011	Curved back with dee ring, snap, no belt loop	WEA 08-03011
WEA 08-02012	Straight back, attached pruner pouch, dee ring, no belt loop, no snap	WEA 08-03012
WEA 08-02013	Curved back, attached pruner pouch, dee ring, no belt loop no snap	WEA 08-03013

This section: 2" top width X 1" bottom width X 13 3/4" front length X 19" back length
Fits 12" – 14" straight saws

	Curved back with pruner pouch, dee ring, no belt loop or snap	Curved back with dee ring, no belt loop or snap	

Large Curved Saw Scabbards

#25 Scabbards
For Fanno #20 and other large saws. Compare dimensions with your saw.
Top width- 3 1/3", Bottom width- 1 3/4", Front length- 21 1/2", Back length- 24"

#27 Scabbards
For Fanno #22, #24, COR RS-7160 and other saws. Compare dimensions with your saw.
Top width- 4 1/4", Bottom width- 1 3/4", Front length- 21 1/2", Back length- 27 3/4"

WEA 08-02001-25 WEA 08-02001-27 NEW	Dee ring on back. Snap hook on front	WEA 08-03001-25 WEA 08-03001-27 NEW

Many other tool sheaths available by special order to fit axes, Pulaski tools, etc.

Weaver leather scabbards are made from top grain steer hide harness leather. This leather goes through a special tanning process that makes it durable and weather-resistant. Rubberized belting scabbards are also very durable and weather-resistant; they are an excellent economical choice. All scabbards are sewn with heavy weather and mildew resistant bonded nylon thread and riveted at stress points.

Shearing Knife Sheath

Leather stitched and riveted. Fits blades 1 1/2" x 14"-18"
WEA 08-97204

Pole Saw Scabbard

All leather strap on scabbard for pole saw blades. Fits standard size blades.
WEA 08-02025

Barnet USA SCABBARDS

19" leather, fits BAR Z17, belt loop, leg strap
BAR BLS937

20" ABS plastic, economy, fits curved 13" & 14" saws, belt loop
BAR Z1314S

Tree Fruit and Ornamentals

MAI STAR-35

The STAR 35 is a traditional pneumatic shear with a single piston and spring return. Its powerful and swift cutting performance of 3 strokes/second is unmatched in the field. The STAR 35 is an excellent hand-held shear for fruit trees and landscape maintenance. A special adapter allows the shear to be connected to an extension pole without disassembling the tool.

MAI STAR-35 Hand-Held

MAI STAR-30F

The shear has a double piston system and reduced hand grip diameter.

The blade/anvil design is perfect for young fruit trees.

MAI STAR-30F Hand-Held

MAI SE-4

The SE-4 is the industry's premier shear for pruning fruit trees and ornamentals. Rugged and lightweight, this powerful shear is built for speed, easy handling, and precision cutting. It is advisable to use the shear with an extension pole for better reach and maneuverability. A telescopic extension pole is recommended for even greater flexibility.

MAI SE-4 Hand Held

TELESCOPIC MODELS

MAI SE-4-02T w/telescopic extension (OAL: 3'1"-4'3")
MAI SE-4-04T w/telescopic extension (OAL: 4'8"-7'3")
MAI SE-4-06T w/telescopic extension (OAL: 6'7"-11'1")
MAI SE-4-04 w/40" extension
MAI SE-4-06 w/60"extension
MAI SE-4-09 w/80" extension

EXTENSION POLES

Extension poles are available in aluminum. Choose telescopic or fixed length. Various lengths are available in each type.

"Air" type fixed-length

MAI EXA-04A (40")
MAI EXA-06A (80")

"Air" type telescopic

MAI EXA-02T (1'10" - 3'0")
MAI EXA-04T (3'5" - 6'0")
MAI EXA-06T (5'4" - 9'10")

MODEL	WEIGHT	CUTTING CAPACITY	CFM	PSI
STAR 30V	1.25	1.00	1.94	140*
SUPERSTAR	1.30	1.00	1.94	140*
STAR 30F	1.25	1.15	1.94	140
STAR 35	1.43	1.25	2.12	140
SE-4	1.75	1.45	2.12	140
SE-4 W/EXT	3.41-4.51	1.35	2.12	140
ST-3 LASER	5.18	6.00	14.12	140
ST-3 W/EXT	6.17-8.26	6.00	14.12	140

Recommended hose size: 3/8" ID - STAR 50, ST-3; 1/4" ID - all shears except STAR 50

*130 PSI for vineyard pruning



Lopper

MAI STAR-50

The Model STAR-50 is the most powerful shear in the Campagnola line. The shear cuts tree limbs up to 2 1/4" thick with only the light touch of the trigger - often eliminating the need for a chain saw.

The shear's performance is particularly appreciated in hardwood and deadwood and is widely used in nut, citrus, cherry and blueberry pruning, as well as in forestry and commercial grounds maintenance.

MAI STAR-50-02 w/20" extension
MAI STAR-50-04 w/40" extension
MAI STAR-50-05 w/60" extension
MAI STAR-50-06 w/80" extension

Chain Saw

MAI ST-3

For heavy duty tree pruning turn to the model ST-3 Chain Saw. This powerful, lightweight saw has been a reliable workmate of farmers and grounds maintenance crews for many years. The saw has an 8" bar and cuts up to 6" limbs. A built-in lubricator oils the bar and chain while you work.

Models:

MAI ST-3 Hand-Held
MAI ST-3-02T w/telescopic extension (OAL: 3'6"-4'6")
MAI ST-3-04T w/telescopic extension * (OAL: 5'3"-7'8")
MAI ST-3-06T w/telescopic extension * (OAL: 7'2"-11'8")
MAI ST-3-04 w/40" extension
MAI ST-3-06 w/80" extension

* Available in fiberglass

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com •Email: info@oescoinc.com

CAMPAGNOLA

Formerly MAIBO

Vineyard

MAI SUPERSTAR 2

The world's #1 pneumatic vineyard shear has been improved. The newly designed Super Star 2 boasts a 15% increase in power, ice-free valve, and a sealed front for total protection of the inner parts. The shear is excellent for berries, young fruit trees, and nursery stock.

MAI SUPERSTAR 2

MAI STAR 30V

NEW

This ergonomic vineyard shear has a double piston design that not only generates considerable power - it reduces hand grip diameter and delivers a smooth stroking action. The blade/anvil design is perfect for vineyard pruning.

MAI STAR30V

Compressors

CAMPAGNOLA Pruning Compressors are heavy duty commercial units designed to operate our full line of pruning tools at maximum efficiency. The compressors represent the latest in innovative design and technology and are engineered to meet the rigorous demands of outdoor pruning.

PTO Driven Compressors are very popular and are used widely in orchards and vineyards.

MAI ECOPLUS 1500

MODEL	TANK CAPACITY	MAX PSI	CFM	HP	PTO/ RPM	WEIGHT	SHEAR (SE-4)	SAW
PTO Driven								
MAI ECOPLUS 520	5.8	160	18.3	18	300	181	6	1
MAI ECOPLUS 950	5.8	160	33.4	25	300	225	11	2
MAI ECOPLUS 1500	5.8-7.4	160	53.3	30	300	340	19	3
Gas Driven								
MAI LB 14 (8hp Honda)	8	160	17.5	8	—	195	6	1
MAI LB 10 (4hp Honda)	4	150	4.5	4	—	60	2	—

Popular LB-10 System Packages

LB-10-61-04 (1) STAR-50-04 Tool, (1) HP-508 Hose, (1) LB-10 compressor
LB-10-41T-04T (1) SE-4-04T Tool, (1) HP-506 Hose, (1) LB10 compressor
LB-10-41-04 (1) SE-4-04 Tool, Fixed length (1) HP-506 Hose, (1) LB10 compressor
LB-10-42T-04T (2) SE-4-04T Tools, (2) HP-506 Hose, (1) LB-B compressor
LB-10-42-04 (2) SE-4-04 Tools, Fixed length (2) HP-506 Hose, (1) LB-B compressor
LB-10-21* (1) Star 35 Tool, (1) HP-506 Hose, (1) LB-10 compressor
LB-10-22* (2) Star 35 Tools, (2) HP-506 Hose, (1) LB-10 compressor

* Super Star 2, Star 30 substituted at no additional charge

LB-14 System packages available special order.

Hose For Air Tools

MAI HP-506 - 1/4 ID Poly hose X 50' with fittings
MAI HP-1006 - 1/4 ID Poly hose X 100' with fittings
MAI HP-508 - 3/8 ID Poly hose X 50' with fittings
MAI HP-1008 - 3/8 ID Poly hose X 100' with fittings
MAI HC-5038 - 3/8 ID Coil hose X 50' with fittings

GREENLEE FAIRMONT

Limb-Lopper™

Hydraulic Pruners

Pruners, Chain Saws, Circular Saws available.

Contact OESCO for information.

All Parts And Service for Limb Lopper Tools by Greenlee Fairmont

FELCO

FELCOtronic 800

The New Generation

Powerful, light, ergonomic... this high-tech tool combines FELCO's unmatched know-how with the latest research of portable electric pruning shears.

- Cutting head opening capacity up to 1.2"
- Average duration of use without recharging- full day of pruning
- Average charging time - 5 hours
- Integrated tool diagnostic software
- Weight of shear - 1.81 lbs.
- Weight of battery pack - 4 lbs.
- High-tech battery pack with optimum performance between 23° F and 86° F

FEL F800 - right hand
FEL F800G - left hand
FEL F810 - 1 1/2" cutting capacity

KAIMAN

HIGH PERFORMANCE ELECTRIC PRUNER

NEW

The new Kaiman electronic pruner from Volpi of Italy is rapid, powerful and lightweight.

Prune for 2 days before having to recharge the tool!

ORIGINALE VOLPI

- Cutting capacity up to 1.5"
- Progressive cut with two selectable opening options.
- Ergonomic tool with heavy duty ball swivel where the cord attaches to the tool.
- 48 volt NiMH rechargeable battery in ergonomic knapsack with adjustable waist band and holster
- Average charging time - 8 hours
- Weight of tool • 1.9 lbs.
- Weight of backpack with battery • 6.7 lbs.

VOL KE50AR

ECHO



5 year Consumer Warranty

Contact us for a complete listing of in stock ECHO products and pricing

OESCO, Inc. has been selling Power Pruners since they were made by Technic Tool over 17 years ago. We know a good product when we see it, and Echo has been a dependable and diversified line of high performance, handheld outdoor power equipment. Our lead small engine mechanic attends Echo School each year to make sure we are on top of any changes and new developments that come along. We tested a lot of equipment before we chose Echo, and we've always been happy with our choice. Call us so we can tell you what is new from Echo!

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com •Email: info@oescoinc.com

Structron® features high quality tool heads, shovels have spring steel blades which flex but will not bend or break as easy as others.

SHOVELS

SEY S700 - Round point shovel
9"x12" head size • 48" fiberglass handle, rolled step • 4.7 lbs.

SEY S700D - Round point shovel
9"x12" head size • 29" fiberglass "D" handle, rolled step • 4 lbs.

SEY S701 - Square point shovel
9.5"x11.5" head size • 48" fiberglass handle, rolled step • 5 lbs.

SEY S701D - Square point shovel
9.5" x 11.5" head size, 48" fiberglass "D" handle, rolled step • 4.5 lbs.

SEY S710 - Super shovel
8.8" x 11.2" head size, 48" fiberglass handle, front turned step • 5 lbs.

SEY S710D - Super shovel
8.8" x 11.2" head size, 29" fiberglass "D" handle, front turned step • 4.5 lbs.

SEY S712 - Closed back round point
8.8" x 11.2" head size, 48" fiberglass handle, front turned step • 4 lbs.

SEY S605 - Garden Spade
6.9"x12" head size • 48" fiberglass handle, front turned step • 4.5 lbs.

SEY S605D - Garden Spade
6.9"x12" head size • 29" fiberglass "D" handle, front turned step • 4.5 lbs.

SEY S704 - Drain spade
5.5" x 14" head size, 48" fiberglass handle, rolled step • 4.5 lbs.

SEY S704D - Drain spade
5.5" x 14" head size, 29" fiberglass "D" handle, rolled step • 4 lbs.

SEY GS18 - Grain scoop
14.25"x19" head • 51" fiberglass handle • 4.5 lbs.
SEY GS18D - Grain scoop
14.25"x19" head • 29" fiberglass "D" handle • 3.5 lbs.

SEY PP100 - Snow pusher
12"x24" Black ABS head, 44" fiberglass "D" handle • 4 lbs.

SEY PS200 - Snow shovel
13.5"x18" Blue ABS head, 44" fiberglass "D" handle • 4 lbs.

FORKS

SEY BF-25 - Bedding fork
11"x12" Welded steel head, 48" wood handle • 4.5 lbs.

SEY SP30 - Spading fork
7.25"x11.25" Forged steel head 30" fiberglass "D" handle • 3.5 lbs.

SEY CF5 - Compost fork
9"x11.5" Forged steel head 48" fiberglass handle • 3 lbs.

SCRAPERS/CHISELS

SEY SC-30 - Scraper
7"x6" Forged head, 54" hardwood handle • 3.5 lbs.

SEY IC-30 - Ice chisel
3.5"x6" Forged head, 48" hardwood handle • 3.2 lbs.

RAKES

SEY BR16 - Bow rake
16.25"x3.25" head, 60" fiberglass "D" handle • 3.3 lbs.

SEY PR24 - Leaf rake
26 tines, 24" Black poly head, 51" fiberglass handle • 2 lbs.

SEY LF-25 - Lawn rake
24" tines, 24" head size, Steel, spring brace, 54" wood handle • 2.5 lbs.

SEY SR22 - Lawn rake
24" tines, 22" head size, Steel spring brace, 54" fiberglass handle • 3.2 lbs.

SEY LR24 - Landscape rake
24" Aluminum head with brace 66" fiberglass handle • 3.7 lbs.
SEY LR36 - Landscape rake
36" Aluminum head with brace 66" fiberglass handle • 6.5 lbs.

SEY RR-25 - Roof rake
22"x5.5" Aluminum head 16', 3-pc. Aluminum handle • 5.7 lbs.

DIGGERS

SEY DG-10 - Heavy-duty Atlas Digger • 4' hardwood handle
8 lbs.

SEY DG-18 - Giggs digger, single Blade action • 4.5' hardwood handle.
11 lbs.

Powercore™ solid fiberglass reinforcing rod from shank to handle. Strong, yet lightweight hollow handle, ProGrip™ for a sure grip on handle. The most rugged fiberglass handle available for construction, landscaping and gardening.

HOES



SEY BH35 - Beet hoe
7"x3.5" head, 60" hardwood handle.• 2.3 lbs.

SEY SH37 - Southern Meadow Hoe
7" x 3.5" head, 60" hardwood handle. • 3 lbs.

SEY 2E-G60 Grub hoe
8.5" x 4.5" head size, handle sold separately
2 lbs.

SEY 2E-AE0 Eye hoe
American pattern • 7.5"x7" head size, handle sold separately.
2 lbs.



SEY 2E-IG7 Italian grape hoe
10"x7" head size, handle sold separately.
2.5 lbs.



SEY DG-AEH - Handle for eye and grub hoes
54" wood circular cross section • 2 lbs.

SEY DG-IGH - Handle for Italian grape hoe
40" wood oval cross section • 2 lbs.

PICK-MATTOCK

SEY MP5FG - Pick-mattock
Steel head, 36" fiberglass handle
7.5 lbs.

AUGERS

SEY DW-D1 - Drillwell auger
5' steel shaft telescopes to 9', 8"-14" point spread, hardwood handle. • 28 lbs.

BROOMS

SEY PB24R - Rough surfaces, 3.25" poly bristles, 24" head, 60" yellow fiberglass, cushion grip. • 3.5 lbs.

MANUFACTURING COMPANY, INC.

DURA RAKES

Handles of aircraft quality tubing, heat treated heads. Replacement heads available. Heads easily exchanged with 2 machine bolts.

WWM 50 - 8" rake, 64.5" OAL • 2.5 lbs.
WWM 51 - 12" rake, 64.5" OAL • 2.75 lbs.
WWM 52 - 18" rake, 64.5" OAL • 3 lbs.
WWM 53 - 24" rake, 64.5" OAL • 3.75 lbs.
WWM 54 - 30" rake, 64.5" OAL • 4.25 lbs.

Sod Rakes
WWM 52S • 3 lbs.
18" rake, 64.5" OAL

WWM 59 • 3.75 lbs.
24" rake, 64.5" OAL



NURSERY/LANDSCAPE TOOLS

Grub Hoe
WWM 25A
5" head
51" OAL
5.5 lbs.

Root Cutter
WWM 44
Very strong, long handle, 73" OAL
15.5 lbs.

Trench Scoop
WWM 43
3" wide x 10" long, sharpened blade with root cutter teeth
62" OAL
4.5 lbs.

Brush Hook
WWM 20
8" head
64.5" OAL
4.75 lbs.

Digging Fork
WWM 45
4 tine
42" OAL
5.5 lbs.

Pitch Fork
WWM DHPF5
5 tine, D-Handle,
42" OAL
5.5 lbs.

Steel Handle Hoe
WWM 26
6.5" blade
58" OAL
2 lbs.

Sod Lifter
WWM 47
29" lift
63" OAL
5.75 lbs.

Edging Tool
WWM 19
Round head, long handle,
54" OAL
5 lbs.

Mulch Claw
WWM 20C
14" wide
64" OAL
6 lbs.

Mulch Fork
WWM 42
10 tine
53.5" OAL
8.25 lbs.

Pitch Fork
WWM LHPF5
5 tine, long straight handle
65" OAL
5.5 lbs.

Mini Pick
WWM 17 • 2.3 lbs.
15" handle,
2 1/2"W X 6"L Blade,
1"W X 5 1/2"L Pick

Featherweight Mini Pick
WWM 17A • 1.2 lbs.
14" handle,
3 1/2"W X 4 1/2"L Blade,
1 1/4"W X 5"L Pick

Cutter Mattock
WWM 46 • 9 lbs.
48.75" OAL
4" wide x 8" long
blade and cutter edge

Digging Tool
WWM 48 • 9 oz.
The ultimate digging tool. Cuts through roots. Digs in any type of ground cover. Cuts turf, sod easily. 7" blade x 1 3/4" W, 12" OAL with 4" hand guard and 4" of teeth right side. Supplied with a sheath with 3"W X 3.5" deep belt loop.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

MANUFACTURING COMPANY, INC.

KING OF SPADES

Supplied with 1 foot pad.

- All blades are sharpened and heat treated.
- "D" handles are 1 1/4" in diameter tubular steel shaped to 4" wide inside the "D".
- All tools welded construction.
- Main shank is zinc plated aircraft tubing, super strong, rust resistant, smooth and lightweight.
- New large rubber foot pad 3/4" thick x 1 1/2" wide x 3" long. It can be bolted to either side.
- Long tapered cutting edge, self sharpens during use.



WWM KSS

WWM KSD *WWM KSS-15* *WWM KSD-15* *WWM KSR-15*

WWM LHS *WWM LHD* *WWM LHS-15* *WWM LHD-15*

Model	Blade Length/Style	Handle Style	Overall Length	Weight
WWM KSS	13" Square blade	Non-replaceable "D" handle	40"	6.33 lbs.
WWM LHS	13" Square blade	Long, straight handle	63"	6.33 lbs.
WWM KSD	13" Diamond blade	Non-replaceable "D" handle	40"	6.31 lbs.
WWM LHD	15" Square blade	Long, straight handle	65"	7.85 lbs.
WWM KSS-15	15" Square blade	Non-replaceable "D" handle	42"	6.75 lbs.
WWM LHS-15	15" Square blade	Long, straight handle	65"	7.85 lbs.
WWM KSD-15	15" Diamond blade	Non-replaceable "D" handle	42"	6.7 lbs.
WWM LHD-15	13" Diamond blade	Long, straight handle	63"	7.16 lbs.
WWM KSR-15	15" Round edge blade	Non-replaceable "D" handle	42"	5.75 lbs.

Ultralite Spade

12" Square blade, non-replaceable "D" handle.
40" OAL
WWM 12· 6.5 lbs.

Ultralite LH Spade

12" Square blade, long, straight handle.
62.75" OAL
WWM 12A· 6.5 lbs.

GROUND SHARKS

COMPACT

WWM 36B - 62" OAL • 4.7 lbs.
Long, straight handle, 11" curved blade, serrated edge

WWM 36A - 38" OAL • 4 lbs.
"D" handle, 11" curved blade, serrated edge

WWM 36C • 3.25 lbs.
27" OAL, "T" handle, 5"W X 11"L curved blade, 6" of teeth left side NO STEP PAD; Forward facing step

WWM 36 - 40" OAL • 3.4 lbs.
WWM 35 - 36" OAL • 3.25 lbs.
WWM 33 - 28" OAL • 3 lbs.
"T" handle, 3"W X 12"L curved blade, 5" of teeth left side with step pad

SHOVELS

COMPACT

All purpose shovel
WWM 30 • 2.6 lbs.
"T" handle, 5"W X 8"L, curved blade.
26" OAL

WWM DHV-PT-R • 5 lbs.
11" pointed round blade, "D" handle.
42.5" OAL

WWM LHV-PT-R • 5.5 lbs.
11" pointed round blade with long, straight handle. 62.5" OAL

LANDSCAPING AND NURSERY TOOLS

COMPACT

Sampson Ball Handle Spade
WWM 31 • 2.5 lbs.
Blade is 4" tapered to 3" diamond X 7" long, NO STEP PAD, Forward facing step. 28" OAL

Sampson T-Handle Spade
WWM 32 • 2.5 lbs.
Blade 4" tapered to 3" diamond X 7" long, NO STEP PAD, Forward facing step. 31" OAL

CORONA

"FIRST CHOICE FOR GENERATIONS"

SHOVELS

COR SS-65000 - #2 Round Point
Hollow back shovel, 48" long ash wood handle. • 5.5 lbs.

COR SS-65010 - #2 Round Point
Hollow back shovel, 30" D-Handle • 5.5 lbs.

COR SS-66000 - #2 Square Point
Hollow back shovel, 48" long ash handle. 5.5 lbs.

COR SS-66010 - #2 Square Point
Hollow back shovel, 30" D-Handle • 6 lbs.

COR SF-70000 - #2 Round Point
Forged shovel, 48" long ash handle. • 6.5 lbs.

COR SF-70010 - #2 Round Point
Forged shovel, 30" D-Handle • 6.5 lbs.

BROOM

COR BM-60001 - H-D Landscape Broom
18" wide head with 60" handle. Brush head has coarse poly, medium steel and medium feathered poly bristles and scraper blade. • 5.7 lbs.

MATTOCKS

COR AX-71020 - Pulaski Root Grubbing Tool - 34" Solid-core fiberglass handle with thick molded poly jacket Extra-sharp, trangular mattock blade
7 lbs.

COR PM-41000 - Pick Mattock
36" Hickory handle. Forged, tempered steel head. Point and wide mattock blade.
8 lbs.

COR PM-42000 - Cutter Mattock
36" Hickory handle. Forged, tempered steel head. Extra sharp cutter blade, extra wide mattock blade. • 7.5 lbs.

RAKES

COR RK-24003 - Spring Brace Rake - 24" / 24 Tines
54" Long wood handle.
Fan-shaped head, flexible tines.
1.5 lbs.



COR RK-62000 - Fixed Tine Shrub Rake - 8" / 11 Tines
54" Long wood handle. • .8 lb.



COR RK-63003 - Wide Head Leaf Rake - 30" / 30 Tines
54" Long wood handle. Extra thick vinyl, close spaced, tightly curved tines.
2 lbs.

HOES

COR SH-61000 - Diamond Hoe
60" Extra long ash handle, diamond shaped head, 4 sharp edges. • 2.8 lbs.

COR SH-60000
Oscillating Hoe – Small
60" Extra long ash handle. Small head. • 3 lbs.

COR SH-60001
Oscillating Hoe – Large
60" Extra long ash handle. Large head. • 3 lbs.

CULTIVATORS

COR SH-22000 - Warren Hoe
54" Long wood handle, 5"x6" V-shape tempered steel head • 3 lbs.

60" Long ash handle, forged head
COR CV-70003 - 3 Prong Cultivator • 2 lbs.
COR CV-70004 - 4 Prong Cultivator • 2.5 lbs.

FORKS

COR FK-70000 - 4 Tine Spading Fork
48" Long northern ash handle. Forged, tempered tines, riveted head connection • 6 lbs.

COR FK-70010 - 4 Tine Spading Fork
30" Steel and ash YD grip. • 5.8 lbs.

COR FK-71003 - 3 Tine Hay Fork
54" Long ash handle. Light to medium duty fork. Forged, tempered steel head. • 5.5 lbs.

COR FK-72005 - 5 Tine Manure Fork
54" Long ash handle. Medium to heavy duty fork. Forged, tempered steel head. • 6.5 lbs.

COR FK-74010 - 10 Tine Ensilage Fork
30" Long ash handle with Steel YD grip. Heavy duty fork. • 8 lbs.

Lightweight Rake
Because of the material used, this rake is both durable and lightweight. The fiberglass handle and no break co-polymer head make it almost impossible to destroy. NO DOWN PRESSURE - EASY ON THE BACK!
21" head length, 18 tines, 55" length
TRG GK102R • 2 lbs.

NEW

Steel Rake
Adjusts 7" to 22" wide, Handle adjusts 35" to 57" long. Alloy steel expandable rake features special tines which dig deep for hard to rake areas. Handle adjusts from 35" - 57". Easy to store. Tines angle right or left.
BAR B999 • 2.2 lbs.



OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

DMT® Made in USA

The Leader in Diamond Sharpening
"Let the Diamonds Do The Work"

Diafold™ Sharpeners

Diafold Flat File

1/16" thick. 3/4" to 1/4" taper. 4 3/8" long. Great for confined, narrow applications. 5" handles fold and enclose the file. Perfect for hand pruners, loppers, scissors and small shears.

DMT FFF Fine - (red) • .21 lb.
DMT FFC Coarse - (blue) • .21 lb.

Diafold Double and Single Sided

Recessed dots provide chip clearance to prevent loading and speed sharpening. 5" handles fold and enclose the file. Great for loppers, spades, shovels, hedge shears and scythes. Choose single or double sided (dual grit).

DMT FWF - Fine - (red) • .22 lb
DMT FWC - Coarse - (blue) • .22 lb.
DMT FWX - Extra Coarse - (black) • .22lb.
DMT FWFC - Double sided, Fine/Coarse • .24 lb.
DMT FWCX - Double sided, Coarse/X-Coarse • .24 lb.

NEW

Diafold Round Diamond Files

Multi-use tool for quick and easy chain saw maintenance as well as the right honing steel for sharpening any curved edge. 5" handles fold and enclose the file. Available in three sizes. Coarse grit only.

DMT FCS5C - 5/32" • .20 lb.
DMT FCS6C - 6/32" • .20 lb.
DMT FCS7C - 7/32" • .20 lb.

Diamond Sharpeners

Diamond Mini-Sharp

Flip open lid/handle, swivel ring for key chain. Lightweight and ultra portable. Great for touching up your tools or knife in the field. 2 11/16" x1 5/16" x 3/16"

DMT F70F - Fine (red) • .10 lb.
DMT F70C - Coarse (blue) • .10 lb.



Diamond Mini-Hone

Only 3/16" thick. Good for bypass and anvil pruners, small shears, scissors and knives. 3/4" x 7" x 3/16".

DMT D2E - Extra-fine (green) • .10 lb.
DMT D2F - Fine (red) • .10 lb.
DMT D2C - Coarse (blue) • .10 lb.

NEW

Diamond Honing Cones

Versatile sharpeners. Use on both curved and straight edge tools. Good for grafting knives, bypass pruners or for touching up wavy edge blades. Choose from two sizes. Half round cones.

DMT DCMF - Medium 3/8" to 3/4" diameter x 6"
DMT DCLF - Large 3/4" to 1 1/4" diameter x 8"

Sharpening Stones

Benchtop 2"W x 6"L Diamond Whetstone™ complete with case, rubber non-skid feet.

DMT W6EP - Extra fine stone (Green) • .68 lb.
DMT W6FP - Fine stone (Red) • .68 lb.
DMT W6CP - Coarse stone (Blue) • .68 lb.
DMT W6XP - Extra coarse (Black) • .68 lb.

BAHCO

SharpX Sharpener Double carbide edge. Finger stop, two handle component, sharpens all kinds of cutting blades
BAH SharpX

ARS

Saw File For all non-impulse hardened blades
ARS AC-9F10 • .1 lb.

EZE LAP

98% of all sharpening can be performed by the fine (600) grit diamond. For those who want to get the job done faster and still leave a quality finish use the medium or 400 grit. The coarse grit (250) is for axes, shovels, garden tools or industrial use.

10"x7/16" Fine diamond round shaft with plastic handle. Use for larger nursery knives or Christmas tree knives.
EZE P - Fine • 44 oz.

3 3/4"x1/4" Fine diamond pad on 6"x3/4" red plastic handle. With leather pouch with belt loop.
EZE M - Fine • 34 oz. with pouch

Diamond Hone and Stone

3/4"x2" diamond pad on 6"x3/4" red plastic handle. Available in three grits.

EZE LF - Fine stone (red) • 6 oz.
EZE LM - Medium stone (purple) • 6 oz.
EZE LC - Coarse stone (black) • 6 oz.

Choosing The Right Grit

Extra Coarse - Recommended for aggressive removal of metal on damaged tools or for heavy-duty outdoor tools such as axes and lawn mower blades.

Coarse - Quickly restores a dull edge to cutting sharp again.

Fine - Restores to a fine edge any knife or tool that is slightly dull.

Extra Fine - Refines and polishes the sharp edge to razor sharp perfection.

PROFESSIONAL GRADE PICK-UP TOOL
for HEAVY DUTY COMMERCIAL USE

E-Z Reacher® PRO

EZR 20P - 20" length • .58 lb.
EZR 32P - 32" length • .74 lb.
EZR 40P - 40" length • .78 lb.
EZR 60P - 60" length • 1.02 lbs.
EZR 72P - 72" length • 1.14 lbs.

Replacement cup
EZR RCC



Ergonomic handle design reduces hand & finger stress, safety locking feature, strong anodized aluminum and stainless steel construction and heavy duty rubber cup grippers!

Measuring Wheels from ROLATAPE®

300S
- All Steel Construction
- 5 digit ratchet counter
- Calibrated wide rubber wheel
- Safety-Glo color
- Insert-and-lock handle
- Wheel stand (not pictured)
- Measures 100,000 ft.
- 3 feet wheel circumference
- 5 year warranty

ROT 32-300S • 5 lbs.

400
- All steel construction
- 5 digit steel counter
- 4 foot circumference wheel
- Handles the toughest measuring needs
- Wheel stand
- Wheel brake
- Measure 100,000 ft.
- 5 year warranty

ROT 32-400 • 8 lbs.

Other models available in meters and various sizes

NEW

LA CROSSE *Handheld Anemometer*

Registers maximum and average wind speed. Displays wind chill and temperature in °F or °C. Will show wind speed of .44 mph to 67 mph. Back lit with battery saving auto off. Neck band and battery included.

NEW

LA CROSSE *Wireless Temperature Station*

Min/max records for temperature with date/time stamp. Atomic time & date set automatically. Includes 1 remote sensor but can receive up to 3. Wireless outdoor temp. range: -39.8° F to 157.8° F, Indoor temp. range: 32° F to 139.8° F. Transmission range: up to 330'. Batteries not included.

LAC WS-9080U-IT
LAC TX29U-IT - additional sensor

LA CROSSE *Wireless Rain Center*

NEW

Self-emptying rain bucket - empties via internal tilting cups. Measures total rainfall, past 24 hours rainfall, light-heavy rainfall indicator icons, rain alarm.Transmits up to 330'.

LAC WS-9004U-IT

Clear-Vu Rain Gauge

5" rainfall capacity, 2" opening, mounting bracket, has rainfall chart. 11 7/8"

TAY 2700 • 8 oz.

Dwyer Wind Meter

Easy to use hand held wind meter. Hold at eye level facing wind. 2 scales.

DWY 63-100011-00

Orchard Grove Thermometer

Identifies current and minimum temp. Must be side mounted to register. range 10° - 100°F. 13"

TAY 5499 • 5 oz.

NEW

Waterproof LED Flashlight

Waterproof and also shock resistant. It has 7 bright LED bulbs with 3 functions: Low beam, high beam, and flashing beam of light. Uses three AAA batteries (not included). Includes wrist band.

BTB FL3031WS-B
Flashlight • 2.7 oz.

LaMotte

Soil Sampler

Model EP - Galvanized steel sampler has saw-toothed cutting edge tapered for easy core removal of up to 10". The cutaway side permits inspection of soil core. Comes with 20 Soil Sampling Bags.

LMC 1055 - 10" depth

Soil Test Kit

Model EL - A simple test kit for analysis of pH, nitrogen, phosphorus and potassium. Diagrammed instructions and laminated color charts measure each concentration. Contains Garden Guide manual and soil handbook.

LMC 5679 • 6 lbs.
LMC R-5679 - Reagent Refill • 4 lbs.

OESCO, Inc. Route 116, Conway, MA 01341 • 413-369-4335 • 800-634-5557 • Fax 413-369-4431
www.oescoinc.com • Email: info@oescoinc.com

PrizeLAWN Spreaders

Commercial Walk-behind Spreader Units

Bigfoot BF 1SS
100 lb/1.75 cu. ft. capacity. Balanced stainless steel frame features ergonomic handles and a wide stance for stability. Fingertip controls allow "on-the-go" operation of the third port and side deflector without stopping or stooping. Hopper cover included.
PSB BF-1-SS • 39 lbs.

Bigfoot BF 1T
100 lb/1.75 cu. ft. capacity. Same features as the standard BF 1 but designed for tow-behind applications. Hopper cover included.
PSB BF-1-T

CBR IVSS
70 lb/1.25 cu. ft. capacity. Ergonomic stainless steel frame, Bigfoot tires and heavier axle. Hopper cover included.
PSB CBR-IV-SS

NEW

MPR 1
"Mid-Pro Rotary" - 70+ lb. capacity. All the important functional features of the CBR IVSS at a fraction of the price! 10" pneumatic tires, spring loaded on/off. Epoxy powder coat welded frame.
PSB MPR-1

Side Deflector Kits
Stainless deflector prevents product from being thrown past right wheel.
PSB 14889-1 - For BF models.
PSB 15069 - For CBR IV model.

HIGH VOLUME OUTLET

Spreads mulch, organics & fertilizer

100 Lb. Capacity
High Volume Outlet (HVO)
Commercial Broadcast Spreader

Mass Flow Port for mulch, topdress sand, limestone, ice melt & more! Made in the USA

- Easily converts to apply fertilzer (standard rates)
- Pattern control system accommodates variations in materials, ground speed, and humidity
- Additional "heavy left" and "heavy right" pattern adjustment
- Hi-impact, injection molded polyethylene hopper
- 1.75 cu. ft. hopper holds up to 100 lbs
- Self lubricating Nylatron GS gears
- Nylon 6/6 wheel and axle bearings with grease fittings
- Stainless steel frame, handles, legs
- Large 13" diameter, pneumatic tires on rust-proof rims
- Hopper cover included

PSB BF-1-HVO • 39 lbs.

NEW

GRASS STITCHER

REVOLUTIONARY!
Quick, easy and effective lawn repairs every time.

- Creates perforations perfect for seed growth
- Recycles dead grass to protect seed
- Requires minimal effort
- Plants at correct depth in any soil
- Saves you up to 80% on lawn repair costs
- All you need is seed



Single Grass Stitcher
For fast effective lawn repair
GSS GSS-001 • 8 lbs.

Double Grass Stitcher
Make larger repairs in half the time. 20" wide.
GSS GSD-002 • 11 lbs.

Model BG-1

Commercial portable broadcast spreader with hand crank. Polyethylene hopper holds 20 lbs., screw cap, side deflector trim control, coverage up to 14'. Very accurate.
PSB BG-1 • 5.5 lbs.

Universal Spreader

Hand spreader manufactured from HD polyethylene with oscillating agitator and a four blade distributor. Wheel spreads in a fan shape width. Ten point scale for accurate spreading of seed, granulars, herbicide, insecticide and fertilizer. Stainless side shield adjusts for placement of product.
SPY 75 • 7 lbs.